



US00D377019S

United States Patent [19]

Nagano et al.

[11] Patent Number: **Des. 377,019**

[45] Date of Patent: ****Dec. 31, 1996**

[54] **PAGER**

D. 353,593 12/1994 Hayasaka et al. D14/191
D. 359,736 6/1995 Ishibashi et al. D14/191

[75] Inventors: **Katsumi Nagano; Yuko Komamiya,**
both of Kanagawa, Japan

[73] Assignee: **Matsushita Electric Industrial Co.,**
Ltd., Osaka, Japan

[**] Term: **14 Years**

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak &
Seas

[21] Appl. No.: **47,978**

[57] **CLAIM**

The ornamental design for a pager, as shown.

[22] Filed: **Dec. 18, 1995**

DESCRIPTION

[30] **Foreign Application Priority Data**

Aug. 2, 1995 [JP] Japan 7-22823

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 188,
D14/191-192, 299; 340/311.1; 455/38.1-38.4,
90, 92, 100, 128, 344

FIG. 1 is a front, right and bottom perspective view of a pager showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 325,913 5/1992 Takahashi et al. D14/191

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

