



US00D377321S

United States Patent [19]

Tomizawa

[11] Patent Number: **Des. 377,321**

[45] Date of Patent: ****Jan. 14, 1997**

[54] **THERMAL DETECTOR**

5,425,582 6/1995 Asano et al. 374/208

[75] Inventor: **Toshikazu Tomizawa**, Hachioji, Japan

Primary Examiner—Antoine Duval Davis

[73] Assignee: **Hochiki Kabushiki Kaisha**, Tokyo, Japan

Attorney, Agent, or Firm—Lackenbach Siegel Marzullo Aronson & Greenspan, PC

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a thermal detector, as shown and described.

[21] Appl. No.: **45,036**

[22] Filed: **Oct. 6, 1995**

DESCRIPTION

[52] U.S. Cl. **D10/106**; D10/52

FIG. 1 is a front perspective view of a thermal detector showing a new design;

[58] Field of Search D10/52, 106, 104; 340/628-631, 693, 584, 587-589, 593, 599; 374/183, 208, 168, 185

FIG. 2 is a top view thereof;

FIG. 3 is a right side elevational view thereof (the left side thereof being identical);

[56] **References Cited**

FIG. 4 is a bottom plan view thereof; and,

FIG. 5 is a rear elevational view thereof.

U.S. PATENT DOCUMENTS

D. 286,514 11/1986 Spang D10/106

1 Claim, 3 Drawing Sheets




Fig. 1




Fig.2




Fig.3




Fig.4




Fig.5

