



US00D377353S

United States Patent [19]

Tajima et al.

[11] Patent Number: **Des. 377,353**

[45] Date of Patent: ****Jan. 14, 1997**

[54] **ELECTROACOUSTIC TRANSDUCER**

D. 333,468	2/1993	Hansen	D14/222
4,901,357	2/1990	Albright	381/192
5,471,437	11/1995	Schutter et al.	367/175

[75] Inventors: **Kazushige Tajima; Yoshio Imahori**, both of Shizuoka, Japan

[73] Assignee: **Star Micronics Co., Ltd.**, Shizuoka, Japan

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **53,800**

The ornamental design for an electroacoustic transducer, as shown.

[22] Filed: **Apr. 30, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

FIG. 1 is a perspective view of the front, top and right side of an electroacoustic transducer showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a rear elevational view thereof.

Oct. 31, 1995 [JP] Japan 7-32990

[52] U.S. Cl. **D14/222; D10/75**

[58] Field of Search **D10/75; D14/222; 324/156; 381/188-199; 367/175**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,537 4/1976 Wagner D14/222

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7

