



US00D377782S

United States Patent [19] Fillinger

[11] Patent Number: **Des. 377,782**
[45] Date of Patent: ****Feb. 4, 1997**

[54] TRANSFORMER ELECTRICAL CONNECTOR

[75] Inventor: **David R. Fillinger**, Cincinnati, Ohio

[73] Assignee: **Erico International Corporation**, Solon, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **42,036**

[22] Filed: **Jul. 14, 1995**

[52] U.S. Cl. **D13/151**

[58] Field of Search D13/151, 156; 439/709, 721, 723, 724, 810, 814, 812

[56] References Cited

U.S. PATENT DOCUMENTS

D. 195,623	7/1963	Leonardo	D26/1
D. 236,481	8/1975	Johnston	D13/156
D. 302,420	7/1989	McGrane	D13/24
D. 306,716	3/1990	Shimirak	D13/24
D. 309,664	7/1990	McGrane	D13/146
D. 317,434	6/1991	McGrane	D13/133
D. 317,435	6/1991	McGrane	D13/133
D. 320,381	10/1991	McGrane	D13/147
2,431,999	12/1947	Engelhardt	173/328
2,764,749	9/1956	Aberle	339/150
2,991,440	4/1961	Kulka	439/709 X
3,382,478	5/1968	Satterthwait	339/210
3,652,977	3/1972	Feldberg	339/198 R
3,874,760	4/1975	Guthmiller et al.	339/60 R
4,214,806	7/1980	Kraft	339/242
4,382,651	5/1983	Klosen et al.	339/92 R
4,513,169	4/1985	McGrane	174/138 F
4,547,627	10/1985	McGrane	174/138 F
4,785,378	11/1988	Hinckley et al.	361/363
5,201,678	4/1993	Venezia	439/723
5,427,550	6/1995	Jaag	439/709

FOREIGN PATENT DOCUMENTS

1229880	9/1960	France .
2085672	4/1982	United Kingdom .

OTHER PUBLICATIONS

Connector Manufacturing Co. Brochure, pp. 7-8 Dual Rated Solderless Lugs.

ILSCO Pocket Guide, Revised Edition, 1985, pp. 3-6.

Homac Mfg. Company, "Homac's Zeebar Compact! Easy to Install", Oct. 1987.

Electrical System Distributor, Sep. 1988, p. 50.

Primary Examiner—Holly Baynham

Attorney, Agent, or Firm—Renner, Otto, Boisselle, Sklar

[57] CLAIM

The ornamental design for a transformer electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of one embodiment illustrating my new transformer electrical connector;

FIG. 2 is a front elevational view thereof as seen from the bottom of FIG. 1;

FIG. 3 is a bottom plan view as seen from the bottom of FIG. 2;

FIG. 4 is an end elevation view as seen from the right hand side of FIG. 2;

FIG. 5 is a rear elevation view as seen from the right hand side of FIG. 4;

FIG. 6 is an end elevation view as seen from the left hand side of FIG. 2;

FIG. 7 is a top plan view of a second embodiment of the design shown in FIG. 1;

FIG. 8 is a front elevation view of FIG. 7 as seen from the bottom thereof;



FIG. 9 is a bottom plan view as seen from the bottom of FIG. 8;

FIG. 10 is an end elevation view as seen from the right hand side of FIG. 8;

FIG. 11 is a rear elevation view as seen from the right hand side of FIG. 10; and,

FIG. 12 is an end elevation view as seen from the left hand side of FIG. 8.

1 Claim, 3 Drawing Sheets






FIG. 5




FIG. 1




FIG. 2



FIG. 3




FIG. 6




FIG. 4




FIG. 7




FIG. 8




FIG. 9




FIG. 12




FIG. 10




FIG. 11