



US00D377831S

**United States Patent** [19]  
**Bierman**

[11] **Patent Number:** **Des. 377,831**  
[45] **Date of Patent:** **\*\*Feb. 4, 1997**

[54] **ANCHOR PAD WITH RELEASE LAYER**

[75] **Inventor:** **Steven F. Bierman**, Del Mar, Calif.

[73] **Assignee:** **Venetec International, Inc.**, Mission Viejo, Calif.

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **39,191**

[22] **Filed:** **May 17, 1995**

[52] **U.S. Cl.** ..... **D24/127**

[58] **Field of Search** ..... **D24/127, 189,**  
**D24/128; 604/80, 261, 177, 180, 179; 602/6,**  
**46, 50, 59**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 267,431	12/1982	Santarelli .....	D24/189
D. 310,721	9/1990	Beisang, III .....	D24/128
D. 347,060	5/1994	Bierman .	
2,525,398	10/1950	Collins .	
2,533,961	12/1950	Rousseau et al. .	
3,064,648	11/1962	Bujan .	
3,167,072	1/1965	Stone et al. .	
3,288,136	11/1966	Lund .....	604/180 X
3,856,020	12/1974	Kovac .	
3,900,026	8/1975	Wagner .	
3,973,565	8/1976	Steer .	
4,129,128	12/1978	McFarlane .	
4,161,177	7/1979	Fuchs .	
4,224,937	9/1980	Gordon .	
4,250,880	2/1981	Gordon .	
4,316,461	2/1982	Marais et al. .	
4,326,519	4/1982	D'Alo et al. .	
4,362,156	12/1982	Feller, Jr. et al. .	
4,449,975	5/1984	Perry .	
4,453,933	6/1984	Speaker .	
4,474,559	10/1984	Steiger .	
4,480,639	11/1984	Peterson et al. .	
4,490,141	12/1984	Lacko et al. ....	604/180
4,633,863	1/1987	Filips et al. .	
4,711,636	12/1987	Bierman .	
4,742,824	5/1988	Payton et al. .	
4,852,844	8/1989	Villaveces .	
4,857,058	8/1989	Payton .	
4,863,432	9/1989	Kvalo .	

4,880,412	11/1989	Weiss .	
4,897,082	1/1990	Erskine .	
4,898,587	2/1990	Mera .	
4,919,654	4/1990	Kalt .	
4,955,864	9/1990	Hajduch .	
4,976,700	12/1990	Tollini .	
5,037,397	8/1991	Kalt et al. .	
5,192,273	3/1993	Bierman et al. .	
5,192,274	3/1993	Bierman .	
5,295,950	3/1994	Godley .....	602/58 X
5,314,411	5/1994	Bierman et al. .	

**FOREIGN PATENT DOCUMENTS**

2063679 11/1980 United Kingdom .

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Frank Martinez

*Attorney, Agent, or Firm*—Knobbe, Martens, Olson & Bear

[57] **CLAIM**


The ornamental design for an anchor pad with a release layer, as shown and described.


**DESCRIPTION**

FIG. 1 is a front perspective view of an anchor pad with a release layer showing an embodiment of my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a front elevational view thereof; FIG. 8 is a front perspective view of an anchor pad with a release layer showing another embodiment of my new design; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; FIG. 11 is a left side elevational view thereof; FIG. 12 is a right side elevational view thereof; FIG. 13 is a rear elevational view thereof; and, FIG. 14 is a front elevational view thereof.


The dotted line showings of anchoring system components are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*



*Fig. 8*



*Fig. 9*




*Fig. 10*



*Fig. 11*



*Fig. 12*



*Fig. 13*



*Fig. 14*