



US00D377887S

United States Patent [19]
Credle, Jr.

[11] **Patent Number:** **Des. 377,887**
[45] **Date of Patent:** ****Feb. 11, 1997**

[54] **BUILDING BLOCK DRINK CONTAINER**

[75] Inventor: **William S. Credle, Jr.**, Stone Mountain, Ga.

[73] Assignee: **The Coca-Cola Company**, Atlanta, Ga.

[**] Term: **14 Years**

[21] Appl. No.: **52,591**

[22] Filed: **Apr. 4, 1996**

Related U.S. Application Data

[62] Division of Ser. No. 27,425, Aug. 22, 1994.
[52] **U.S. Cl.** **D7/625**; D9/424; D21/108
[58] **Field of Search** D7/605-608, 619, D7/625; D9/307, 337, 424, 432; D21/108; 62/457.1, 457.3, 457.4; 206/503, 509; 215/10, 373; 220/23.4, 224, 278; 446/125

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 252,908 9/1979 Bayly .
D. 252,909 9/1979 Bayly .
D. 252,910 9/1979 Bayly .
D. 252,977 9/1979 Bayly .
D. 252,978 9/1979 Bayly .
D. 252,979 9/1979 Bayly .
D. 252,980 9/1979 Bayly .
D. 252,981 9/1979 Fenton .
D. 301,260 5/1989 McLaughlin et al. .
D. 319,019 8/1991 Shanklin et al. .
D. 322,938 1/1992 Baroi .
D. 333,978 3/1993 Zutler .
D. 349,046 7/1994 Brown .
1,771,264 7/1930 Marrits .
2,631,747 3/1953 Stolte .
3,374,917 3/1968 Troy .
3,422,564 1/1969 Izumi .
3,616,943 11/1971 Brink .
3,640,018 2/1972 Light .
3,815,281 5/1974 Kander .
4,076,123 2/1978 Davis .

4,120,396 10/1978 Mascia et al. .
4,582,447 4/1986 Itoh .
4,656,840 4/1987 Loofbourrow et al. .
4,883,251 11/1989 Manas .

OTHER PUBLICATIONS

Popular Science—p. 20—Aug. 1992, building blocks.

Primary Examiner—Terry A. Wallace
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch, LLP


[57] **CLAIM**

The ornamental design for a building block drink container, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of a building block drink container showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a right side elevation view thereof;
FIG. 8 is a top, front, left side perspective view of an alternate embodiment of FIG. 1;
FIG. 9 is a top plan view of FIG. 8;
FIG. 10 is a bottom plan view of FIG. 8;
FIG. 11 is a front elevation view of FIG. 8;
FIG. 12 is a left side elevation view of FIG. 8;
FIG. 13 is a rear elevation view of FIG. 8;
FIG. 14 is a right side elevation view of FIG. 8;
FIG. 15 is a top, front, left side perspective view of an alternate embodiment of FIG. 1;
FIG. 16 is a top plan view of FIG. 15;
FIG. 17 is a bottom plan view of FIG. 15;
FIG. 18 is a front elevation view of FIG. 15;
FIG. 19 is a left side elevation view of FIG. 15;
FIG. 20 is a rear elevation view of FIG. 15; and,
FIG. 21 is a right side elevation view of FIG. 15.

1 Claim, 6 Drawing Sheets






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16




FIG 17




FIG 18




FIG 19




FIG 20




FIG 21