



US00D377972S

United States Patent [19]

[11] Patent Number: **Des. 377,972**

Kanai

[45] Date of Patent: ****Feb. 11, 1997**

[54] TOILET

3,251,070 5/1966 Blankenship D23/302 X

[76] Inventor: **Sumiyo Kanai**, 935-12 Midori-cho,
Hachioji-shi, Tokyo, Japan, 193

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Eric Watterson
Attorney, Agent, or Firm—Hazel & Thomas, PC

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **31,590**

The ornamental design for an a toilet, adapted for being provided with nozzles for rinsing, substantially as shown and described.

[22] Filed: **Nov. 29, 1994**

[30] **Foreign Application Priority Data**

DESCRIPTION

Jun. 8, 1994 [KR] Rep. of Korea 94-12367

[52] **U.S. Cl.** **D23/302**

[58] **Field of Search** D23/302, 307;
4/301, 306, 307, 310, DIG. 12


FIG. 1 is an isometric view of the toilet unit showing the novel design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a side elevational view thereof; and,
FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 4.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 233,889 10/1974 Juairé D23/302
- D. 292,733 11/1987 Robinson et al. D23/295
- D. 316,748 5/1991 Penn D23/302
- D. 341,193 11/1993 Hart D23/302

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7