



US00D378076S

United States Patent [19]

Whirley et al.

[11] Patent Number: Des. 378,076

[45] Date of Patent: **Feb. 18, 1997

[54] CRASH ENERGY MANAGEMENT FRAME
FOR A VEHICLE

[75] Inventors: Robert G. Whirley, Santa Rosa; Bruce
E. Engelmann, Sebastopol, both of
Calif.

[73] Assignee: U.S. Electricar, Inc., San Francisco,
Calif.

[**] Term: 14 Years

[21] Appl. No.: 34,609

[22] Filed: Feb. 8, 1995

[52] U.S. Cl. D12/159; D12/223; D13/119

[58] Field of Search D12/400, 159,
D12/223; 180/274-277, 68.5, 232; 280/784;
429/96, 100; D13/118, 119

[56] References Cited

U.S. PATENT DOCUMENTS

D. 311,373	10/1990	Morisse et al.	D13/119
519,602	5/1894	Elieson .	
2,257,835	10/1941	Best	280/106
2,296,181	9/1942	Perkins	180/64
3,391,752	7/1968	Albright	180/65
3,477,538	11/1969	Hall et al.	180/65
3,493,068	2/1970	Albright	180/65
3,616,872	11/1971	Taylor	180/65 R
3,655,237	4/1972	Pitman	296/28 R
3,821,998	7/1974	Hollins	180/68.5
3,881,742	5/1975	Felzer	280/106 R
3,902,916	9/1975	Warszawski	136/86 A
3,983,952	10/1976	McKee	180/65 R
4,040,640	8/1977	Begg	280/106 R
4,044,852	8/1977	Lewis et al.	180/68.5
4,058,182	11/1977	Huber	180/68.5
4,120,511	10/1978	Allen et al.	280/795
4,135,593	1/1979	Fowkes	180/65 R

4,165,794	8/1979	Warner et al.	180/65 R
4,174,014	11/1979	Bjorksten	180/68.5
4,216,839	8/1980	Gould et al.	180/65 R
4,248,323	2/1981	Gaffney	180/291
4,267,895	5/1981	Eggert, Jr.	180/54 A
4,339,015	7/1982	Fowkes et al.	180/65 R
4,342,533	8/1982	Hane	414/396
4,365,681	12/1982	Singh	180/68.5
4,726,440	2/1988	Kamlukin et al.	180/312
5,005,864	4/1991	Chachere	280/800
5,015,545	5/1991	Brooks	429/99
5,156,225	10/1992	Murrin	180/65.1
5,326,133	7/1994	Breed et al.	180/274 X
5,364,128	11/1994	Ide	280/784
5,429,388	7/1995	Wheatley et al.	280/784
5,501,289	3/1996	Nishikawa et al.	180/68.5

FOREIGN PATENT DOCUMENTS

406032247	2/1994	Japan	180/68.5
-----------	--------	-------------	----------

Primary Examiner—James M. Gandy
Assistant Examiner—Cathron B. Matta
Attorney, Agent, or Firm—Burns, Doane, Swecker &
Mathis, LLP


[57] CLAIM

The ornamental design for a crash energy management
frame for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a crash energy management
frame for a vehicle showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a right side elevational view thereof, the left side
being a mirror image thereof.

1 Claim, 5 Drawing Sheets






FIG. 1






FIG. 2






FIG. 4




FIG._6