



US00D378211S

United States Patent [19]

Kuo

[11] **Patent Number: Des. 378,211**

[45] **Date of Patent: **Feb. 25, 1997**

[54] TOUCH-SENSITIVE CURSOR CONTROLLER

[75] Inventor: **Chunn-Cherh Kuo**, Taipei Hsien, Taiwan

[73] Assignee: **Silitek Corporation**, Taipei, Taiwan

[**] Term: **14 Years**

[21] Appl. No.: **46,767**

[22] Filed: **Oct. 14, 1995**

[52] U.S. Cl. **D14/114**

[58] **Field of Search** D14/100, 105, D14/114; D21/13, 48, 28; D13/158; 273/148 B; 345/156-159, 161-167; 200/5 A, 5 R, 6 A, 6 R; 178/18, 19; 74/471 XY

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 259,265	5/1981	Heuel et al.	D21/28 X
D. 366,037	1/1996	Kawauchi et al.	D14/114
4,927,986	5/1990	Daly	D14/114 X
5,543,588	8/1996	Bisset et al.	178/18

OTHER PUBLICATIONS

An Advertisement for Revolutionary Glide point by Cirque in *PC & MAC Communication*, p. 28, Apr./May 1995.

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Browdy and Neimark

[57] **CLAIM**


The ornamental design for a touch-sensitive cursor controller, as shown and described.

DESCRIPTION

FIG. 1 is the perspective view of a touch-sensitive cursor controller showing my new design; FIG. 2 is the front elevational view thereof; FIG. 3 is the rear elevational view thereof; FIG. 4 is the left side elevational view thereof; FIG. 5 is the right side elevational view thereof; FIG. 6 is the top plan view thereof; and, FIG. 7 is the bottom plan view thereof.

The cord is shown broken in the views to indicate an indeterminate length.

1 Claim, 4 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7