



US00D378443S

United States Patent [19]
Little

[11] Patent Number: Des. 378,443
[45] Date of Patent: **Mar. 11, 1997

[54] CAPPED ASSEMBLY OF HAIR ROLLERS
[76] Inventor: Del M. Little, 4110 Reka Dr., #N-5,
Anchorage, Ak. 99508
[**] Term: 14 Years
[21] Appl. No.: 29,319
[22] Filed: Oct. 3, 1994
[52] U.S. Cl. D28/37
[58] Field of Search D28/35, 37, 38;
D9/337, 341, 347, 501, 503, 504; D24/223;
132/223, 226, 242, 245, 248, 250-253,
264, 265, 267; 206/499, 446, 505

[56] References Cited
U.S. PATENT DOCUMENTS

109,739	11/1870	Huntly	206/499	X
698,578	4/1902	Steiner	132/233	
2,214,202	9/1940	Odell et al.	206/446	X
2,365,461	12/1944	Fairbanks	206/372	
3,848,610	11/1974	Thomas	132/245	
4,584,462	4/1986	Morrison	132/229	X
4,942,966	7/1990	Kemp	206/446	X

FOREIGN PATENT DOCUMENTS

758742 1/1934 France 132/245

Primary Examiner—Ted Shooman
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Harold H. Dutton, Jr.; W. Charles
L. Jamison; Diane F. Liebman

[57] CLAIM

The design for a capped assembly of hair rollers, as shown.

DESCRIPTION

FIG. 1 is a perspective view of one roller component of my design for a capped assembly of rollers, shown separately from the assembly for clarity of illustration;
FIG. 2 is a top plan view shown on an enlarged scale;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is an exploded perspective view of the assembly shown on a reduced scale, the partially disclosed inner rollers being similar to the outer roller disclosed except for their relative sizes; and,
FIG. 5 is a perspective view of the assembly fully assembled with the cap in place.

1 Claim, 3 Drawing Sheets









FIG. 1








FIG. 5