



US00D378510S

United States Patent [19]
Tan et al.

[11] **Patent Number: Des. 378,510**
[45] **Date of Patent: **Mar. 18, 1997**

[54] **DUAL CONNECTOR**
[75] Inventors: **Haw-Chan Tan**, Diamond Bar; **Tim S. L. Chang**, Chino Hills, both of Calif.
[73] Assignee: **Hon Hai Precision Ind. Co., Ltd.**, Taiwan
[**] Term: **14 Years**
[21] Appl. No.: **48,764**
[22] Filed: **Dec. 8, 1995**
[52] U.S. Cl. **D13/147**
[58] Field of Search D13/147; 439/62, 439/76, 78, 82, 83, 607, 608, 609, 610

4,913,664 4/1990 Dixon et al. 439/607
5,281,169 1/1994 Kiat et al. 439/607
5,397,246 3/1995 Defibaugh et al. 439/607 X
5,496,195 3/1996 Reed 439/607

Primary Examiner—Joel Sincavage

[57] **CLAIM**


The ornamental design for a dual connector, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the dual connector showing our design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right view thereof;
FIG. 5 is a left view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 368,071 3/1996 Eaton D13/147

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7