



US00D378611S

United States Patent [19]
Croley

[11] **Patent Number: Des. 378,611**

[45] **Date of Patent: **Mar. 25, 1997**

[54] **ELECTROSURGICAL INSTRUMENT**

5,389,098 2/1995 Tsuruta et al. 606/49 X

[75] Inventor: **Curt D. Croley**, Cincinnati, Ohio

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—I. Simmons

[73] Assignee: **Ethicon Endo-Surgery, Inc.**,
Cincinnati, Ohio

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for an electrosurgical instrument, as shown and described.

[21] Appl. No.: **45,452**

DESCRIPTION

[22] Filed: **Oct. 19, 1995**

[52] U.S. Cl. **D24/144; D24/145; D24/146**

[58] **Field of Search** D24/144, 170,
D24/145, 146; 606/45, 46, 30, 40, 37, 39,
48, 49, 41

FIG. 1 is a perspective view of an electrosurgical instrument as seen from the rear top and left side;

FIG. 2 is an enlarged perspective view of the distal end of an electrosurgical instrument;

FIG. 3 is a top plan view thereof;

FIG. 4 is a side elevational view thereof, the opposite side elevational view being a mirror image thereto;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view thereof; and,


FIG. 7 is a rear elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 358,887	5/1995	Feinberg	D24/144
5,269,782	12/1993	Sutter	606/50 X
5,366,476	11/1994	Noda	606/48 X

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

