



US00D378611S

**United States Patent** [19]  
**Croley**

[11] **Patent Number: Des. 378,611**

[45] **Date of Patent: \*\*Mar. 25, 1997**

[54] **ELECTROSURGICAL INSTRUMENT**

5,389,098 2/1995 Tsuruta et al. .... 606/49 X

[75] Inventor: **Curt D. Croley**, Cincinnati, Ohio

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—I. Simmons

[73] Assignee: **Ethicon Endo-Surgery, Inc.**,  
Cincinnati, Ohio

[57] **CLAIM**

[\*\*] Term: **14 Years**

The ornamental design for an electrosurgical instrument, as shown and described.

[21] Appl. No.: **45,452**

**DESCRIPTION**

[22] Filed: **Oct. 19, 1995**

[52] U.S. Cl. .... **D24/144; D24/145; D24/146**

[58] **Field of Search** ..... D24/144, 170,  
D24/145, 146; 606/45, 46, 30, 40, 37, 39,  
48, 49, 41

FIG. 1 is a perspective view of an electrosurgical instrument as seen from the rear top and left side;

FIG. 2 is an enlarged perspective view of the distal end of an electrosurgical instrument;

FIG. 3 is a top plan view thereof;

FIG. 4 is a side elevational view thereof, the opposite side elevational view being a mirror image thereto;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view thereof; and,


FIG. 7 is a rear elevational view thereof.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 358,887	5/1995	Feinberg	.....	D24/144
5,269,782	12/1993	Sutter	.....	606/50 X
5,366,476	11/1994	Noda	.....	606/48 X

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 3**




**FIG. 4**



**FIG. 5**

**FIG. 6**



**FIG. 7**

