



US00D378900S

# United States Patent [19] de Sieyes et al.

[11] Patent Number: **Des. 378,900**

[45] Date of Patent: **\*\*Apr. 22, 1997**

[54] **TEMPERATURE AND HUMIDITY MONITOR**

OTHER PUBLICATIONS

[75] Inventors: **David C. de Sieyes**, Hamilton; **Neila d'Entremont**, Lexington, both of Mass.

Cole-Palmer; Electronic Humidity Calibration; 1995-1996©; p. 572.

[73] Assignee: **CMT, Inc.**, Hamilton, Mass.

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Cesari and McKenna

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **47,408**

The ornamental design for a temperature and humidity monitor, as shown and described.

[22] Filed: **Dec. 4, 1995**

[52] U.S. Cl. .... **D10/52**

**DESCRIPTION**

[58] Field of Search ..... D10/52, 46; 73/29.01, 73/29.02, 335.01-335.14, 29; 374/109, 141, 163-170, 179, 185, 208, 209


FIG. 1 is a right front perspective view of a temperature and humidity monitor showing the new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a front elevational view thereof; and FIG. 6 is a rear elevational view thereof; The stripping indicates contrasting color.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 300,727	4/1989	Fukushima	.....	D10/52
D. 314,155	1/1991	Toivonen	.....	D10/52
3,855,863	12/1974	Kuehn et al.	.....	374/109
4,763,522	8/1988	Pompei	.....	73/335.07

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4

FIG. 5




FIG. 6

