



US00D378985S

United States Patent [19]

[11] Patent Number: Des. 378,985

Weinerman et al.

[45] Date of Patent: **Apr. 29, 1997

[54] HANDLE OPERATED DRAW LATCH
ASSEMBLY WITH LOCKABLE SAFETY
CATCH

[75] Inventors: Lee S. Weinerman, Medina; Arthur J.
Kuminski, Parma, both of Ohio

[73] Assignee: The Eastern Company, Cleveland,
Ohio

[**] Term: 14 Years

[21] Appl. No.: 43,660

[22] Filed: Sep. 8, 1995

Related U.S. Application Data

[62] Division of Ser. No. 37,952, Apr. 25, 1995, Pat. No. Des.
366,204, which is a division of Ser. No. 26,147, Jul. 20,
1994, Pat. No. Des. 364,082, which is a continuation-in-part
of Ser. No. 65,283, May 21, 1993, abandoned, and a
continuation-in-part of Ser. No. 8,629, May 21, 1993, aban-
doned.

[52] U.S. Cl. D8/338

[58] Field of Search D8/330-331, 336,
D8/338, 339, 341, 342; 292/109, 110, 113,
121, 122, 194, 217, 226, DIG. 12, DIG. 30

[56] References Cited

U.S. PATENT DOCUMENTS

D. 257,218	10/1980	Eriksson		D8/336
D. 333,775	3/1993	Krape		D8/331
D. 343,782	2/1994	Gromotka et al.		D8/331
1,734,282	11/1929	White		292/250
2,690,921	10/1954	Braun		292/113
3,162,419	12/1964	Blasingame		248/361
3,519,298	7/1970	Gley et al.		292/113
3,936,082	2/1976	Swanson		292/113
4,116,479	9/1978	Poe		292/113
4,181,333	1/1980	Stelma		292/66
4,212,606	7/1980	Sachleben, Sr.		425/72
4,243,255	1/1981	Hornak		292/113
4,307,906	12/1981	Schenk		292/247
4,326,739	4/1982	Schlueter		292/247
4,493,133	1/1985	Nilsson		24/68
4,530,529	7/1985	Poe et al.		292/113
4,531,769	7/1985	Glancy		292/113

4,540,206	9/1985	Frame et al.		292/66
4,588,216	5/1986	Hinds		292/113
4,768,815	9/1988	Harmon		292/113
4,890,869	1/1990	Langkamp, Jr.		292/113
4,936,239	6/1990	Awalt, Jr.		114/199
5,131,246	7/1992	Bonzer		70/260
5,165,148	11/1992	Fleischer et al.		24/494
5,257,839	11/1993	Nielsen et al.		292/113
5,287,602	2/1994	Dykstra		24/463

OTHER PUBLICATIONS

De-Sta-Co Advertising Sheet, Series MA50 "Pull Action
Clamps," De-Sta-Co Company, Troy, MI 48007 (date
unknown, but is prior to May of 1992).

De-Sta-Co Catalog "The World of Clamping," pp. 23-28,
42-44 & 49-51, De-Sta-Co Company, Troy, MI 48007
(believed to have been published Mar., 1993).

Nielsen Hardware Corp. Catalog (1986), p. 30 entitled
"Adjustable Catch".

Primary Examiner—Brian N. Vinson

Attorney, Agent, or Firm—David A. Burge, Esq.

[57] CLAIM

The ornamental design for a handle operated draw latch
assembly with lockable safety catch, as shown and
described.

DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of a
handle operated draw latch assembly with lockable safety
catch showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a front elevational view thereof, showing the latch
pivoted to an operable position;

FIG. 9 is a front elevational view thereof, shown in a latched
position;

FIG. 10 is a top plan view thereof, shown in a latched
position;





FIG. 11 is a top, front, and left side perspective view of a handle operated draw latch assembly with lockable safety catch showing an alternate embodiment of our new design; FIG. 12 is a front elevational view thereof, the rear being a mirror image of that shown; and, FIG. 13 is a top plan view thereof, with a drawbar of the latch assembly shown shifted slightly forwardly.

The broken-line disclosure of a post element in the views is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13