



US00D379054S

United States Patent [19]

Asaad

[11] Patent Number: **Des. 379,054**

[45] Date of Patent: ****May 6, 1997**

[54] MULTIPLE HEADED WRENCH

[76] Inventor: **Hassan Y. Asaad**, P.O. Box 5542, Cary, N.C. 27512

[**] Term: **14 Years**

[21] Appl. No.: **42,330**

[22] Filed: **Aug. 7, 1995**

[51] LOC (6) Cl. **08-05**

[52] U.S. Cl. **D8/28**

[58] Field of Search D8/21, 26, 28, D8/29, 17, 19; 81/119, 121.1, 224.2, 124.4, 125, 125.1

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 273,454 4/1984 Pyles .
- D. 304,899 12/1989 Liu D8/23
- D. 309,411 7/1990 Strock .
- 3,682,024 8/1972 Myers .
- 4,058,032 11/1977 Jacks .
- 4,348,921 9/1982 White .
- 4,579,023 4/1986 Park et al. .

FOREIGN PATENT DOCUMENTS

- 1001673 10/1951 Germany 81/119

OTHER PUBLICATIONS

The Antique Wrench Book by Wullweber, 1982, p. 71.

Primary Examiner—B. J. Bullock
Assistant Examiner—Richelle Shelton


[57] CLAIM

The ornamental design for the multiple headed wrench, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the multiple headed wrench showing a first embodiment of my new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevational view of second embodiment of my new design; FIG. 7 is a left side elevational view thereof; FIG. 8 is a right side elevational view thereof; FIG. 9 is a top plan view thereof; and, FIG. 10 is a bottom plan view thereof. The rear face of the first embodiment and the rear face of the second embodiment are identical to FIGS. 1 and 6 respectively.

1 Claim, 2 Drawing Sheets






FIG. 7



FIG. 6




FIG. 8



FIG. 9



FIG. 10

