



US00D379078S

United States Patent [19]
Himuro et al.

[11] **Patent Number:** **Des. 379,078**
[45] **Date of Patent:** ****May 6, 1997**

[54] **AUTOMOBILE TIRE**

[75] **Inventors:** **Yasuo Himuro; Yoshihiro Hosoya,**
both of Tokyo, Japan

[73] **Assignee:** **Bridgestone Corporation,** Tokyo,
Japan

[**] **Term:** **14 Years**

[21] **Appl. No.:** **40,463**

[22] **Filed:** **Jun. 19, 1995**

[30] **Foreign Application Priority Data**

Dec. 20, 1994 [JP] Japan 6-38660

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/151**

[58] **Field of Search** D12/140-143,
D12/136, 147-149, 151; 152/209 R, 209 B,
209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 335,848 5/1993 Maxwell et al. D12/151
D. 336,271 6/1993 Suzuki D12/147
D. 336,273 6/1993 Kohara et al. D12/147

D. 340,015 10/1993 Maxwell D12/151
D. 341,347 11/1993 Kobayashi D12/147
D. 345,953 4/1994 Tomura D12/151

Primary Examiner—James Gandy
Assistant Examiner—Stacia Sinuik
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak &
Seas

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing
our new design, it being understood that the tread pattern is
repeated uniformly throughout the circumference of the tire;
FIG. 2 is a front elevation view thereof, a top plan view and
a bottom view are identical with the front elevation view;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is an enlarged fragmentary front elevation view
thereof; and,
FIG. 7 is a cross-sectional view taken along line 7—7 in
FIG. 6.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3







FIG. 4



F I G . 5



F I G . 6



F I G . 7

