



US00D379121S

United States Patent [19]

[11] Patent Number: Des. 379,121

Apps et al.

[45] Date of Patent: **May 13, 1997

[54] NESTABLE CRATE WITH HANDLE

4,319,685 3/1982 David .
4,410,099 10/1983 deLarosiere .

[75] Inventors: William P. Apps, Alpharetta; Gerald R. Koefeldt, Atlanta, both of Ga.

(List continued on next page.)

[73] Assignee: Rehrig Pacific Company, Los Angeles, Calif.

FOREIGN PATENT DOCUMENTS

1351218 3/1963 France .
2801077 7/1978 Germany .
2712748 9/1978 Germany .

[**] Term: 14 Years

[21] Appl. No.: 37,636

Primary Examiner—B. J. Bullock
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Banner & Allegretti, Ltd.

[22] Filed: Apr. 18, 1995

[57] CLAIM

Related U.S. Application Data

The ornamental design for a nestable crate with handle, as shown and described.

[63] Continuation-in-part of Ser. No. 18,317, Feb. 3, 1994, Pat. No. Des. 361,431.

DESCRIPTION

[51] LOC (6) Cl. 03-99

[52] U.S. Cl. D3/312; D3/314

[58] Field of Search D3/304, 307-314;
D9/341, 424, 425; 206/427, 429, 515, 519,
557, 562-564, 201; 220/509, 513, 514,
516, 517, 669, 670, 672, 673, DIG. 2, DIG. 12,
DIG. 15

FIG. 1 is a side elevational view of a nestable crate in accordance with my new design, the opposite side being a mirror image thereof;

FIG. 2 is an end elevational view of the nestable crate of FIG. 1, the opposite side being a mirror image thereof;

FIG. 3 is a top plan view of the nestable crate of FIG. 1;

FIG. 4 is a bottom plan view of the nestable crate of FIG. 1;

FIG. 5 is a cross sectional view of the nestable crate taken along line 5-5 of FIG. 3;

FIG. 6 is a cross sectional view of the nestable crate taken along line 6-6 of FIG. 3;

FIG. 7 is a cross section of the nestable crate taken along line 7-7 of FIG. 3;

FIG. 8 is a cross section of the nestable crate taken along line 8-8 of FIG. 3;

FIG. 9 is a cross section of the nestable crate taken along line 9-9 of FIG. 3;

FIG. 10 is a cross section of the nestable crate taken along line 10-10 of FIG. 4;

FIG. 11 is a cross section of the nestable crate taken along line 11-11 of FIG. 4;

FIG. 12 is an enlarged cross section of the nestable crate taken along line 12-12 of FIG. 4; and,



FIG. 13 is an enlarged fragmented perspective view of a corner area of the crate of FIG. 1.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 224,366 7/1972 Rehrig .
- D. 244,486 5/1977 Johnson et al. .
- D. 247,648 3/1978 Carroll et al. .
- D. 277,837 3/1985 Turunen D3/313 X
- D. 319,129 8/1991 Apps et al. D3/311
- 3,009,579 11/1961 Ettliger, Jr. .
- 3,052,373 9/1962 Frater .
- 3,265,237 8/1966 Pache et al. .
- 3,270,913 9/1966 Bridenstine et al. .
- 3,332,574 7/1967 Earp .
- 3,349,943 10/1967 Box .
- 3,744,707 7/1973 Ross .
- 3,794,208 2/1974 Roush et al. .
- 3,997,057 12/1976 Craig .
- 4,095,720 6/1978 Delbrouck et al. .
- 4,101,049 7/1978 Wallace et al. .
- 4,105,117 8/1978 Atkin et al. .
- 4,143,764 3/1979 Moss, III .
- 4,256,224 3/1981 Hirota .

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

4,759,451	7/1988	Apps .	4,978,002	12/1990	Apps et al. .
4,773,554	9/1988	Warwick .	5,060,819	10/1991	Apps .
4,899,874	2/1990	Apps et al. .	5,096,085	3/1992	Eck et al. .
4,928,841	5/1990	Arthurs .	5,097,890	3/1992	Nakao .
4,932,532	6/1990	Apps et al. .	5,105,948	4/1992	Morris et al. .
4,944,400	7/1990	Van Onstein et al. .	5,335,814	8/1994	Hepp .
			5,426,890	6/1995	Dümmen .

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13

