



US00D379224S

United States Patent [19]
McCallister et al.

[11] **Patent Number: Des. 379,224**
[45] **Date of Patent: **May 13, 1997**

[54] **BOTTLE**

[75] **Inventors: Patrick E. McCallister, Columbus; Richard P. Macauley, Westerville, both of Ohio; Jay A. Smithberger, Evanston, Ill.; Thomas W. Osip, Dublin; Joseph M. Lippian, Worthington, both of Ohio**

[73] **Assignee: Abbott Laboratories**

[*] **Notice:** The portion of the term of this patent subsequent to Dec. 10, 2010, has been disclaimed.

[**] **Term: 14 Years**

[21] **Appl. No.: 41,468**

[22] **Filed: Jul. 14, 1995**

Related U.S. Application Data

[62] **Division of Ser. No. 26,130, Jul. 20, 1994.**

[51] **LOC (6) Cl. 09-01**

[52] **U.S. Cl. D24/121; D9/520; D24/224**

[58] **Field of Search D24/121, 118, D24/224, 108, 127, 128; D9/520, 572, 573, 453, 454, 445, 447; 215/379, 373, 215, 370, 374**

References Cited

U.S. PATENT DOCUMENTS

D. 288,293	2/1987	Arvans	D9/370
D. 289,975	5/1987	Wendt	D9/401
D. 294,120	2/1988	Griesing et al.	D9/403
D. 303,496	9/1989	Larson	D9/367
D. 304,805	11/1989	Mednis	D9/341
D. 313,177	12/1990	Larson	D9/370
D. 316,965	5/1991	Arvidson et al.	D9/370
2,022,520	11/1935	Philberick	215/379 X
3,096,913	7/1963	Corley	222/183
3,171,412	3/1965	Braan	215/370 X

3,325,031	6/1967	Singier	215/37
3,384,258	5/1968	Singier	215/100
3,537,498	11/1970	St. Amand	150/5
3,581,928	6/1971	St. Amand	215/100 A
3,880,311	4/1975	McPhee	D24/118 X
3,926,341	12/1975	Lhoest	222/92
4,013,187	3/1977	Betka	215/100
4,747,519	5/1988	Green et al.	222/181
4,824,787	4/1989	Serkes et al.	D24/224 X
5,123,554	6/1992	Arvidson et al.	215/370 X

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—Brian R. Woodworth


[57] **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bottle showing our new design;
FIG. 2 is another perspective view thereof from the opposite direction of that shown in FIG. 1;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a side elevational view thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck;
FIG. 8 is a perspective view of a second embodiment of a bottle showing our new design;
FIG. 9 is another perspective view of the second embodiment from a direction opposite to that shown in FIG. 8;
FIG. 10 is a front elevational view of the second embodiment;
FIG. 11 is a rear elevational view of the second embodiment;
FIG. 12 is a top view of the second embodiment;
FIG. 13 is a bottom view of the second embodiment; and,
FIG. 14 is a side elevation thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck.

1 Claim, 8 Drawing Sheets






FIG-1




FIG-2




FIG-5




FIG-3




FIG-4




FIG-6




FIG-7




FIG-8




FIG-9




FIG-12




FIG-10




FIG-11




FIG-13




FIG-14