



US00D379346S

United States Patent [19]
Mieki

[11] **Patent Number: Des. 379,346**

[45] **Date of Patent: **May 20, 1997**

[54] **BATTERY CHARGER**

[75] **Inventor: Nariaki Mieki, Yokohama, Japan**

[73] **Assignee: International Business Machines Corporation, Armonk, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 43,490**

[22] **Filed: Sep. 5, 1995**

[51] **LOC (6) Cl. 13-02**

[52] **U.S. Cl. D13/107**

[58] **Field of Search D13/107, 108;
D14/138, 191, 240, 251, 253; 320/2, 3,
4, 15**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 231,474 4/1974 Helgesson D13/107
- D. 279,181 6/1985 Claxton et al. D13/107
- D. 280,317 8/1985 Boyd et al. D13/107 X

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Thomas E. Tyson; Volel Emile

[57] **CLAIM**

The ornamental design for the battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front and upper left perspective view of a battery charger showing my new design. The cable is shown broken away to indicate an indeterminate length;

FIG. 2 is a front and upper left perspective view thereof as it is used. The broken line showing is included for the purpose of illustrating environmental structure only and forms no part of the claimed invention;

FIG. 3 is a front plan view thereof;

FIG. 4 is a rear plan view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left plan view thereof; and,

FIG. 8 is a right plan view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8