



US00D379348S

**United States Patent** [19]  
**Korinek**

[11] **Patent Number: Des. 379,348**

[45] **Date of Patent: \*\*May 20, 1997**

[54] **TWIST-ON WIRE CONNECTOR**

4,883,921 11/1989 Legerius et al. .... 174/87

[75] **Inventor: Chris W. Korinek, Cedarburg, Wis.**

**OTHER PUBLICATIONS**

[73] **Assignee: GB Electrical, Inc., Milwaukee, Wis.**

Ideal Catalog, 1961, p. 5, screw on connector circled at top of page.

[\*\*] **Term: 14 Years**

*Primary Examiner*—Holly Baynham  
*Attorney, Agent, or Firm*—Quarles & Brady

[21] **Appl. No.: 41,682**

[22] **Filed: Jun. 22, 1995**

[57] **CLAIM**

[51] **LOC (6) Cl. .... 13-03**

[52] **U.S. Cl. .... D13/150**

[58] **Field of Search .... D13/150; 174/87, 174/84 R**

The ornamental design for a twist-on wire connector, as shown and described.

**DESCRIPTION**


[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 127,509	5/1941	Sears et al. ....	D13/150 X
D. 186,596	11/1959	Schinske .....	D13/150
D. 186,600	11/1959	Schinske .....	D13/150
D. 197,009	12/1963	Hoffman .....	D13/150
D. 315,139	3/1991	Blaha .....	D13/150
D. 315,143	3/1991	Blaha .....	D13/150
3,056,851	10/1962	Scott .....	D13/150 X
4,288,657	9/1981	Swanson .....	174/87
4,691,079	9/1987	Blaha .....	174/87

FIG. 1 is an isometric view of a twist-on wire connector according to the present invention;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevational view thereof, with a back elevational view being identical to the front elevational view; and  
FIG. 5 is a right side elevational view thereof, with a left side elevational view being identical to the right side elevational view.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5