

US00D379397S

**United States Patent**

[19]

**McMahon**[11] **Patent Number:** Des. 379,397[45] **Date of Patent:** \*\*May 20, 1997**[54] COMBINATION FLOTATION DEVICE AND SWIMMING AID****[75] Inventor:** Donna McMahon, Stuart, Fla.**[73] Assignee:** Donna McMahon, Inc., Stuart, Fla.**[\*\*] Term:** 14 Years**[21] Appl. No.:** 48,014**[22] Filed:** Dec. 18, 1995**[51] LOC (6) Cl.** ..... 29-02**[52] U.S. Cl.** ..... D21/238**[58] Field of Search** ..... D21/236-238;  
441/102, 106, 108, 110, 112, 116, 118,  
119, 115**[56] References Cited****U.S. PATENT DOCUMENTS**

D. 245,881	9/1977	Siddons	.....	D2/40
D. 245,882	9/1977	Siddons	.....	D2/40
D. 293,356	12/1987	Holden	.....	D2/190
D. 293,618	1/1988	Berenson	.....	D21/238
D. 293,960	2/1988	Berenson	.....	D21/238
D. 330,740	11/1992	Layton	.....	D21/238
D. 331,613	12/1992	White	.....	D21/238
D. 333,903	3/1993	Meredith	.....	D2/40
D. 359,097	6/1995	Crandall et al.	.....	D21/238
2,563,122	8/1951	Levine	.....	9/17.5
2,893,020	7/1959	Miller	.....	9/20
3,181,183	5/1965	Allen	.....	9/333

3,903,555	9/1975	Busby	.....	9/342
3,956,786	5/1976	O'Link	.....	9/345
4,052,762	10/1977	Zawtslak	.....	9/337
4,472,151	9/1984	Hoffman	.....	441/127
4,496,328	1/1985	Asher et al.	.....	441/55
5,184,968	2/1993	Michalochick et al.	.....	441/116

*Primary Examiner—Kay H. Chin  
Attorney, Agent, or Firm—Pennie & Edmonds*


**[57] CLAIM**

The ornamental design for a combination flotation device and swimming aid, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a combination flotation device and swimming aid of the present invention;  
FIG. 2 is a front elevational view of the combination flotation device and swimming aid of the present invention;  
FIG. 3 is a rear elevational view of the combination flotation device and swimming aid of the present invention;  
FIG. 4 is a side elevational view of the combination flotation device and swimming aid of the present invention;  
FIG. 5 is a side elevational view, which is opposite of FIG. 4, of the combination flotation device and swimming aid of the present invention;  
FIG. 6 is a top view of the combination flotation device and swimming aid of the present invention; and,  
FIG. 7 is a bottom view of the combination flotation device and swimming aid of the present invention.

**1 Claim, 3 Drawing Sheets**




**U.S. Patent**

**May 20, 1997**

**Sheet 1 of 3**

**Des. 379,397**



**FIG. 1**




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7