



US00D379445S

United States Patent [19]
Rohweder et al.

[11] **Patent Number:** **Des. 379,445**
[45] **Date of Patent:** ****May 27, 1997**

[54] **TIRE TREAD**

[75] **Inventors:** **Efimia E. Rohweder**, Uniontown;
Frederick W. Miller, Akron; **Michael A. Kolowski**, Mogadore; **Stephanie C. Brown**, Akron, all of Ohio

[73] **Assignee:** **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] **Term:** **14 Years**

[21] **Appl. No.:** **44,447**

[22] **Filed:** **Sep. 25, 1995**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** **D12/146, 147, D12/148; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 250,463	12/1978	Jamain .	
D. 261,494	10/1981	Suzuki et al. .	
D. 268,489	4/1983	Arends et al.	D12/143
D. 278,221	4/1985	Kojima et al. .	
D. 279,364	6/1985	Kusube .	
D. 279,890	7/1985	Kusube .	
D. 283,212	4/1986	Martini et al. .	
D. 287,706	1/1987	Takeuchi	D12/146
D. 287,838	1/1987	Takehara	D12/143
D. 287,840	1/1987	Ono .	
D. 287,841	1/1987	Ono .	
D. 288,192	2/1987	Nakatini	D12/147
D. 288,549	3/1987	Mills et al. .	
D. 289,026	3/1987	Wohlfahrt	D12/146
D. 289,275	4/1987	Hinrichsen .	
D. 290,104	6/1987	Takehara	D12/143
D. 292,080	9/1987	Hayakawa et al.	D12/146
D. 292,083	9/1987	Ozawa .	
D. 294,926	3/1988	Nishio et al.	D12/147
D. 294,928	3/1988	Clemens et al. .	
D. 294,929	3/1988	Clemens .	
D. 296,315	6/1988	Hayakawa et al.	D12/142
D. 297,723	9/1988	Corner .	
D. 298,115	10/1988	Kuroda	D12/146
D. 301,024	5/1989	Himuro et al.	D12/147

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

4019386	1/1991	Germany	152/209 R
3121910	5/1991	Japan	152/209 R

OTHER PUBLICATIONS

Bridgestone "Blizzak" tire ad, *Modern Tire Dealer Magazine*, Aug. 1994, p. 55.
Cavalier All Season SBR tire, *1995 Tread Design Guide*, p. 14, bottom row, second from left.
Fulda Diadem Stahl tire, *1995 Tread Design Guide*, p. 27 bottom row, second from right.
Madison Metric A/S Steel Radial tire, *1995 Tread Design Guide*, p. 43, second row, second from right.
Ohtsu Hi-Steel HJS311 tire, *1995 Tread Design Guide*, p. 54, third row, second from right.
Road King Interurban Radialsnow tire, *1995 Tread Design Guide*, p. 60, bottom row, third from left.
Tredtech Tech 5000 Radial G/T tire, *1995 Tread Design Guide*, p. 70, third row, third from left.

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern is repeated uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof the oppsite side elevational view being a mirror image thereof; and,
FIG. 4 is an enlarged fragmentary front view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

D. 301,445	6/1989	Terada	D12/147	D. 341,558	11/1993	Matsushita et al. .	
D. 302,960	8/1989	Himuro et al.	D12/146	D. 345,133	3/1994	Himuro et al. .	
D. 304,561	11/1989	Caretta .		D. 350,090	8/1994	Sugimoto	D12/146
D. 304,918	12/1989	Hinrichsen	D12/146	D. 350,091	8/1994	Shibata .	
D. 305,524	1/1990	Idei	D12/147	D. 350,320	9/1994	Suzuki .	
D. 308,189	5/1990	Hinrichsen et al. .		D. 350,321	9/1994	Sugimoto .	
D. 309,591	7/1990	Guermendi et al. .		D. 350,509	9/1994	Killian .	
D. 309,884	8/1990	Kitagawa	D12/146	D. 350,930	9/1994	Sugimoto .	
D. 312,603	12/1990	Yarborough	D12/146	D. 351,818	10/1994	Pierot et al. .	
D. 313,209	12/1990	Minamitani et al.	D12/146	D. 352,488	11/1994	Siramy	D12/147
D. 316,065	4/1991	Tsuda	D12/142	D. 354,031	1/1995	McKisson .	
D. 316,387	4/1991	Eromaki .		D. 354,467	1/1995	Wallet et al. .	
D. 316,534	4/1991	Hutz .		D. 354,725	1/1995	McKisson	D12/146
D. 316,690	5/1991	Tagashira .		D. 357,654	4/1995	Hitosugi et al. .	
D. 316,990	5/1991	Adam et al. .		4,412,576	11/1983	Nakajima .	
D. 317,145	5/1991	Iwamura	D12/146	4,416,317	11/1983	Caretta	152/209
D. 317,739	6/1991	Bondini	D12/146	4,649,975	3/1987	Kogure et al.	152/209
D. 326,439	5/1992	Covert et al. .		4,765,384	8/1988	Rohde .	
D. 335,643	5/1993	Hino .		5,000,239	3/1991	Brayer et al. .	
D. 335,841	5/1993	Caretta et al.	D12/146	5,024,260	6/1991	Ochiai .	
D. 335,844	5/1993	Boicchi et al.	D12/147	5,078,190	1/1992	Wissbrock et al.	152/209
D. 336,067	6/1993	Fujii	D12/146	5,178,699	1/1993	Kakumu et al. .	
D. 336,268	6/1993	Bondini	D12/146	5,223,065	6/1993	Kogure .	
D. 336,269	6/1993	Hinrichsen et al. .		5,301,727	4/1994	Inoue .	
D. 341,114	11/1993	Himuro .		5,314,551	5/1994	Williams .	
D. 341,345	11/1993	Killian .		5,343,914	9/1994	Wako	D152/209
				5,421,387	6/1995	Emerson .	




FIG-1




FIG-2




FIG-3




FIG-4