

US00D379545S

United States Patent [19]

Houghton et al.

[11] Patent Number: **Des. 379,545**

[45] Date of Patent: ****May 27, 1997**

[54] **DEVICE FOR LIGHTING A SIGN**

[76] Inventors: **Jeanette Houghton; Gary J. Houghton**, both of 16 SW. 100, Oklahoma City, Okla. 73139

[**] Term: **14 Years**

[21] Appl. No.: **44,806**

[22] Filed: **Sep. 28, 1995**

[51] LOC (6) Cl. **26-03**

[52] U.S. Cl. **D26/67; D20/10; D20/39; D26/72**

[58] Field of Search D26/67, 68, 72, D26/80-92; 40/559, 564, 541, 543, 557, 562, 563; 362/183, 410-414, 432, 812, 431; D20/10, 17, 19, 39, 41

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,336,517	4/1920	Fuller	40/563
1,735,040	11/1929	Frederick	40/563
3,144,633	8/1964	Germain	362/408 X
4,319,310	3/1982	Kingsley	362/183
4,484,104	11/1984	O'Brien	315/86
4,718,185	1/1988	Conlin et al.	40/442
4,835,664	5/1989	Wen	362/183

4,884,017	11/1989	Williams	320/2
4,974,129	11/1990	Grieb et al.	362/183
4,989,124	1/1991	Shappell	362/183
5,101,329	3/1992	Doyle	362/183

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Robert Treece


[57] **CLAIM**




The ornamental design for a device for lighting a sign, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the device for lighting a sign;
 FIG. 2 is a left side elevational view of the device of FIG. 1;
 FIG. 3 is a right side elevational view of the device of FIG. 1;
 FIG. 4 is a top plan view of the device of FIG. 1;
 FIG. 5 is a bottom plan view of the device of FIG. 1;
 FIG. 6 is a front elevational view of the device of FIG. 1; and,
 FIG. 7 is a rear elevational view of the device of FIG. 1.
 The sign is shown in broken lines for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets








FIG. 4




FIG. 5




FIG. 6




FIG. 7