



US00D379788S

United States Patent [19] Graas

[11] Patent Number: **Des. 379,788**
[45] Date of Patent: ****Jun. 10, 1997**

[54] **TIRE TREAD**

[75] Inventor: **Maurice Graas, Reichlange,
Luxembourg**

[73] Assignee: **The Goodyear Tire & Rubber
Company, Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **42,023**

[22] Filed: **Jul. 31, 1995**

[51] LOC (6) Cl. **12-15**

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/136, 141,
D12/145, 146, 147, 148; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 248,293 6/1978 Hayakawa et al. .
- D. 265,306 7/1982 Kojima et al. .
- D. 272,815 2/1984 Hatakenaka .
- D. 275,941 10/1984 Nishio et al. .
- D. 278,221 4/1985 Kojima et al. .
- D. 287,706 1/1987 Takeuchi .
- D. 289,026 3/1987 Wohlfahrt .
- D. 290,826 7/1987 Nakaseko .
- D. 292,083 9/1987 Ozawa .
- D. 294,688 3/1988 Suzuki .
- D. 294,926 3/1988 Nishio et al. .
- D. 295,035 4/1988 Hinrichsen .
- D. 297,526 9/1988 Marriott .
- D. 299,330 1/1989 Wallet .
- D. 299,331 1/1989 Wallet .
- D. 302,960 8/1989 Himuro et al. .
- D. 305,525 1/1990 Idei .
- D. 307,880 5/1990 Miller et al. D12/147
- D. 307,881 5/1990 Miller et al. D12/147
- D. 308,189 5/1990 Hinrichsen et al. .
- D. 311,885 11/1990 Himuro et al. .

- D. 316,065 4/1991 Tsuda et al. .
- D. 316,690 5/1991 Tagashira .
- D. 323,310 1/1992 Nakatani .
- D. 323,311 1/1992 Yamashita .
- D. 336,067 6/1993 Fujii .
- D. 350,719 9/1994 Graas et al. D12/147
- D. 357,654 4/1995 Hitosugi et al. .
- D. 360,863 8/1995 Attinello et al. D12/151
- D. 365,065 12/1995 Galante et al. D12/147
- D. 367,449 2/1996 Chin et al. D12/147
- D. 368,057 3/1996 Shirai et al. D12/147

FOREIGN PATENT DOCUMENTS

M94 04599 10/1994 Germany .

OTHER PUBLICATIONS

Maxxis MA-1 tire, *1994 Tread Design Guide*, p. 40.
Toyo 800 Plus tire ad, *Tire Review Magazine*, Nov. 1994, p. 41.

Primary Examiner—James M. Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern is repeated uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front view thereof.
The broken line showing of the tire sidewall in the drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4