US00D380047S

United States Patent [19]

Gelb

[11] Patent Number: Des. 380,047

[45] Date of Patent: **Jun. 17, 1997

[54] **COMBINED RADIOGRAPHIC DEPTH GAUGE AND PROSTHETIC POSITIONING APPARATUS**

[76] Inventor: **David A. Gelb**, 836 Farmington Ave., Ste. 131, West Hartford, Conn. 06119

[**] Term: **14 Years**

[21] Appl. No.: **26,386**

[22] Filed: **Jul. 27, 1994**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 23,519, May 26, 1994.

[51] **LOC (6) Cl.** **24-03**

[52] **U.S. Cl.** **D24/156**; D24/176

[58] **Field of Search** D24/155–6, 176; 433/191–5, 168.1, 169, 172–6

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 290,508	6/1987	Weissman	D24/156
D. 296,362	6/1988	Branemark .	
D. 317,200	5/1991	Jorneus .	
D. 319,500	8/1991	Soderberg .	
D. 324,731	3/1992	Sullivan	D24/156
D. 342,314	12/1993	Miller	D24/156
D. 358,212	5/1995	Sullivan	D24/156
3,726,011	4/1973	Savignano .	
4,016,651	4/1977	Kawahara et al. .	
4,185,383	1/1980	Heimke et al. .	
4,215,986	8/1980	Riess .	
4,416,629	11/1983	Mozsary et al. .	
4,531,915	7/1985	Tatum, Jr. .	
4,547,156	10/1985	Hader .	
4,552,532	11/1985	Mozsary .	
4,713,003	12/1987	Symington et al. .	
4,722,688	2/1988	Lonca .	
4,756,689	7/1988	Lundgren et al. .	
4,850,870	7/1989	Lazzara et al. .	
4,854,872	8/1989	Detsch .	
5,030,096	7/1991	Hurson et al. .	
5,061,181	10/1991	Niznick	433/174
5,094,618	3/1992	Sullivan	433/175 X
5,208,845	5/1993	Gelb .	
5,269,686	12/1993	James	433/174
5,376,004	12/1994	Mena	433/173

FOREIGN PATENT DOCUMENTS

3531389	3/1985	Germany .
8502337	6/1985	Sweden .
2176709	1/1987	United Kingdom .

Primary Examiner—M. H. Tung

Attorney, Agent, or Firm—Welsh & Katz, Ltd.

[57] **CLAIM**

The ornamental design for a combined radiographic depth gauge and prosthetic positioning apparatus, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a combined radiographic depth gauge and prosthetic positioning apparatus embodying the subject design;

FIG. **2** is a front elevational view thereof, the rear view being identical;

FIG. **3** is a right side elevational view thereof, the left side view being identical;

FIG. **4** is a top plan view thereof, the top plan view of the embodiments shown in FIGS. **6–9** are identical;

FIG. **5** is a bottom plan view thereof, the top plan view of the embodiments shown in FIGS. **6–9** are identical;

FIG. **6** is a front perspective view of a second embodiment thereof, the rear perspective view is identical;

FIG. **7** is a front perspective view of a third embodiment thereof, the rear perspective view is identical;

FIG. **8** is a front perspective view of a fourth embodiment thereof, the rear perspective view is identical;

FIG. **9** is a front perspective view of a fifth embodiment thereof, the rear perspective view is identical;

FIG. **10** is a side elevational view of the second embodiment shown in FIG. **6,** the opposite side is identical;

FIG. **11** is a side elevational view of the second embodiment shown in FIG. **7,** the opposite side is identical;

FIG. **12** is a side elevational view of the second embodiment shown in FIG. **8,** the opposite side is identical; and,

FIG. **13** is a side elevational view of the second embodiment shown in FIG. **9,** the opposite side is identical.

1 Claim, 3 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6

FIG. 7



FIG. 8



FIG. 9



FIG.10



FIG.11



FIG.12

FIG.13