



US00D380291S

United States Patent [19]
Morris

[11] **Patent Number:** **Des. 380,291**
[45] **Date of Patent:** ****Jul. 1, 1997**

[54] **ELEMENT OF A SHOE**
[75] **Inventor:** **Jonathan R. Morris**, Franklin, Mass.
[73] **Assignee:** **Reebok International Ltd.**, Stoughton, Mass.
[**] **Term:** **14 Years**
[21] **Appl. No.:** **46,619**
[22] **Filed:** **Oct. 13, 1995**
[51] **LOC (6) Cl.** **02-04**
[52] **U.S. Cl.** **D2/972**
[58] **Field of Search** D2/902, 972; 36/3 A,
36/45, 501, 51, 83, 114, 129

D. 361,426 8/1995 Baker .
D. 367,553 3/1996 Delfel et al. .

FOREIGN PATENT DOCUMENTS

848020 10/1939 France .

OTHER PUBLICATIONS

Liberty, Diadora Brochure, date unknown.
Ventilator, Reebok Spring 1993 Footwear catalog, p. 18.
Kamikaze Mid and Supreme Control, Reebok Spring 1995
Footwear catalog, pp. 17 and 30.

Primary Examiner—Dominic Simone
Attorney, Agent, or Firm—Sterne, Kessler, Goldstein & Fox
P.L.L.C.

[57] **CLAIM**


The ornamental design for an element of a shoe, as shown
and described.

DESCRIPTION

FIG. 1 is a left side elevational view of an element of a shoe
showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a front elevational view thereof; and,
FIG. 4 is a top plan view thereof.
The broken line showing of a shoe upper and sole in FIGS.
1-4 is environmental only and forms no part of the claimed
design.

1 Claim, 2 Drawing Sheets

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 223,329 4/1972 Oshima .
D. 287,063 12/1986 Kohno D2/972
D. 319,722 9/1991 Hatfield .
D. 320,689 10/1991 Smith .
D. 322,878 1/1992 Hatfield .
D. 344,397 2/1994 Zelenko D2/972
D. 347,109 5/1994 Avar .
D. 349,187 8/1994 Close et al. D2/972
D. 351,275 10/1994 Hatfield et al. .
D. 355,756 2/1995 Vestuti .
D. 357,573 4/1995 Ng .
D. 357,796 5/1995 Cromley, II D2/972






FIG. 1




FIG. 2




FIG. 3




FIG. 4