

US00D380401S

**United States Patent** [19]  
**Sarkis**

[11] **Patent Number: Des. 380,401**  
[45] **Date of Patent: \*\*Jul. 1, 1997**

[54] **AUTOMOBILE ALARM INDICATOR**

D. 350,299 9/1994 Fuller ..... D10/106  
D. 352,915 11/1994 Wang ..... D10/114

[76] **Inventor: Warrant Sarkis, 44 Gerrard St., Ste 1007, Toronto, ON, Canada, M5G 2K2**

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Harold H. Dutton, Jr.; W. Charles L. Jamison; Diane F. Liebman

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 51,189**

[57] **CLAIM**

[22] **Filed: Mar. 5, 1996**

The ornamental design for an automobile alarm indicator, as shown.

[51] **LOC (6) Cl. .... 10-05**

**DESCRIPTION**

[52] **U.S. Cl. .... D10/106**

[58] **Field of Search** ..... D10/104, 106,  
D10/116, 114, 121; 340/386, 393, 540,  
571, 572, 628, 425.5, 438, 439, 321, 328


FIG. 1 is a perspective view of an automobile alarm indicator showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a bottom view thereof; and,  
FIG. 7 is a top view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 344,905 3/1994 Issa ..... D10/106  
D. 347,595 6/1994 Flaherty ..... D10/106  
D. 348,622 7/1994 Issa ..... D10/106

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

