



US00D380523S

United States Patent [19]
Moench

[11] **Patent Number:** **Des. 380,523**
[45] **Date of Patent:** ****Jul. 1, 1997**

[54] **WELL CASING SECURITY UNIT**
[76] **Inventor:** **David R. Moench, P.O. Box 1029,**
Oroville, Calif. 95965
[**] **Term:** **14 Years**
[21] **Appl. No.:** **50,586**
[22] **Filed:** **Feb. 2, 1996**
[51] **LOC (6) Cl.** **23-01**
[52] **U.S. Cl.** **D23/206; D10/106**
[58] **Field of Search** **D23/203, 206,**
D23/207, 209; 210/167, 416.1, 416.2, 493.4,
497.1, 459, 460; D10/104, 106, 116, 121

2,931,379 4/1960 Haydin .
2,957,524 10/1960 Earl .
4,411,312 10/1983 English .
4,461,597 7/1984 Laurin .
4,747,453 5/1988 Howard, Sr. .
5,111,879 5/1992 Jozwiak et al. .

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Richard C. Litman

[57] **CLAIM**

The ornamental design for a well casing security unit, as shown and described.

DESCRIPTION


FIG. 1 is an environmental perspective view of a well casing security device showing my new design;
FIG. 2 is a front elevational view with the rear being a mirror image thereof;
FIG. 3 is a right side elevational view with the left side being a mirror image thereof;
FIG. 4 is a top view thereof; and,
FIG. 5 is a bottom view thereof.
The broken line showing of a pipe and elbow in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 4,483	11/1870	Cummins	D23/203
Re. 7,772	7/1877	Cross	.	
Re. 7,902	10/1877	Cross	.	
49,599	8/1865	Sicouret	.	
D. 351,892	10/1994	Wolf et al.	D23/207
D. 357,058	4/1995	Engelhard	D23/207
D. 358,448	5/1995	Paoli	D23/207
D. 372,295	7/1996	Weber	D23/207
524,666	8/1894	Cavallaro	.	

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5