



US00D380523S

**United States Patent** [19]  
**Moench**

[11] **Patent Number:** **Des. 380,523**  
[45] **Date of Patent:** **\*\*Jul. 1, 1997**

[54] **WELL CASING SECURITY UNIT**  
[76] **Inventor:** **David R. Moench, P.O. Box 1029,**  
**Oroville, Calif. 95965**  
[\*\*] **Term:** **14 Years**  
[21] **Appl. No.:** **50,586**  
[22] **Filed:** **Feb. 2, 1996**  
[51] **LOC (6) Cl.** ..... **23-01**  
[52] **U.S. Cl.** ..... **D23/206; D10/106**  
[58] **Field of Search** ..... **D23/203, 206,**  
**D23/207, 209; 210/167, 416.1, 416.2, 493.4,**  
**497.1, 459, 460; D10/104, 106, 116, 121**

2,931,379 4/1960 Haydin .  
2,957,524 10/1960 Earl .  
4,411,312 10/1983 English .  
4,461,597 7/1984 Laurin .  
4,747,453 5/1988 Howard, Sr. .  
5,111,879 5/1992 Jozwiak et al. .

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Richard C. Litman

[57] **CLAIM**

The ornamental design for a well casing security unit, as shown and described.

**DESCRIPTION**


FIG. 1 is an environmental perspective view of a well casing security device showing my new design;  
FIG. 2 is a front elevational view with the rear being a mirror image thereof;  
FIG. 3 is a right side elevational view with the left side being a mirror image thereof;  
FIG. 4 is a top view thereof; and,  
FIG. 5 is a bottom view thereof.  
The broken line showing of a pipe and elbow in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 4,483	11/1870	Cummins	.....	D23/203
Re. 7,772	7/1877	Cross	.	
Re. 7,902	10/1877	Cross	.	
49,599	8/1865	Sicouret	.	
D. 351,892	10/1994	Wolf et al.	.....	D23/207
D. 357,058	4/1995	Engelhard	.....	D23/207
D. 358,448	5/1995	Paoli	.....	D23/207
D. 372,295	7/1996	Weber	.....	D23/207
524,666	8/1894	Cavallaro	.	

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3



*FIG. 4*



*FIG. 5*