



US00D380586S

**United States Patent** [19]  
**Burthey, III**

[11] **Patent Number: Des. 380,586**  
[45] **Date of Patent: \*\*Jul. 8, 1997**

[54] **ASCOT**

[76] **Inventor: Rember O. Burthey, III**, 10418  
Mountain Quail Rd., Silver Spring, Md.  
20901

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 31,631**

[22] **Filed: Nov. 30, 1994**

[51] **LOC (6) Cl. .... 02-05**

[52] **U.S. Cl. .... D2/605**

[58] **Field of Search .... D2/600, 602, 605;**  
2/144, 145, 133, 139, 207

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 309,212	7/1990	Maletsky et al. ....	D2/602
D. 327,339	6/1992	Rasmussen et al. ....	D2/501 X
783,173	2/1905	Brown .....	D2/600 X
1,327,062	1/1920	Quinn .....	D2/605 X
3,105,970	10/1963	Herzberg .....	2/207 X
4,654,897	4/1987	Rosaen .....	2/207
5,414,869	5/1995	Thomson .....	2/207

*Primary Examiner*—Paula A. Mortimer  
*Attorney, Agent, or Firm*—Jerome J. Norris

[57] **CLAIM**

The ornamental design for an ascot, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an ascot showing my new design;

FIG. 2 is a front view of the ascot with the upper arms fitted in place;

FIG. 3 is a front view of the ascot in the unfastened position;

FIG. 4 is a rear view of the ascot with the upper arms fastened;

FIG. 5 is a front view of the ascot in the opened positioned;

FIG. 6 is a top view of the ascot;

FIG. 7 is a top view of the ascot in the fastened position;

FIG. 8 is a rear view of the ascot in the opened position;

FIG. 9 is a left side view of the ascot; and,

FIG. 10 is a right side view of the ascot.

The broken line showing of the human form in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9



FIG. 10

