



US00D380593S

United States Patent [19]
Lauzon

[11] **Patent Number:** **Des. 380,593**
[45] **Date of Patent:** ****Jul. 8, 1997**

[54] **FOOTWEAR**

[76] **Inventor:** **Richard Lauzon**, 350, route 220,
Bonsecours (Québec), Canada, J0E 1H0

[**] **Term:** **14 Years**

[21] **Appl. No.:** **31,917**

[22] **Filed:** **Dec. 1, 1994**

[51] **LOC (6) Cl.** **02-04**

[52] **U.S. Cl.** **D2/920**

[58] **Field of Search** D2/896, 897, 898,
D2/899, 900, 901, 909, 910, 919, 920,
922, 947, 951, 959; 36/88, 105, 112, 71 R,
7.7, 10, 15, 59 C

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 122,325	9/1940	Wauay		D2/897
D. 160,066	9/1950	Brower		D2/899
D. 161,097	12/1950	Frankel		D2/920
D. 172,484	6/1954	Wilson		D2/920

D. 224,183	7/1972	Straub		D2/899
D. 259,296	5/1981	Meyer		D2/899
D. 278,608	4/1985	Thompson		D2/899
D. 321,971	12/1991	Bajork		D2/899

Primary Examiner—Nelson C. Holtje



[57] **CLAIM**

The ornamental design for footwear, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation;
FIG. 2 is a rear end elevation;
FIG. 3 is a front end elevation;
FIG. 4 is a bottom plan view; and,
FIG. 5 is a perspective view with the sole partially detached from the sock.
It is understood that the sole pattern of FIG. 4 is continuous throughout, such as shown by FIG. 5.
The broken-line showings in FIGS. 1-3 and 5 are environmental only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig 2




Fig 1




Fig 3




Fig. 4




Fig.5