



US00D380661S

United States Patent [19]

[11] Patent Number: Des. 380,661

Lehmann

[45] Date of Patent: **Jul. 8, 1997

[54] COMBINATION PUTTY KNIFE AND SCREWDRIVER

[75] Inventor: James Lehmann, Colebrook, Conn.

[73] Assignee: ICC Corporation, Torrington, Conn.

[**] Term: 14 Years

[21] Appl. No.: 24,990

[22] Filed: Jun. 24, 1994

[51] LOC (6) Cl. 08-04

[52] U.S. Cl. D8/87; D32/46

[58] Field of Search D32/46; 7/105; 81/489, 440; D8/87, 105, 45; 15/236.01

[56] References Cited

U.S. PATENT DOCUMENTS

832,455	10/1906	Christensen	7/105
1,552,361	9/1925	Trombley	7/105
1,598,420	8/1926	Brossett	7/105
2,092,586	9/1937	Naumovich	7/105
2,839,110	6/1958	Carpenter	7/105
3,774,252	11/1973	Cantales	7/105
5,063,627	11/1991	Marra	7/105
5,251,352	10/1993	Cullison	7/105

FOREIGN PATENT DOCUMENTS

880602	9/1971	Canada	7/105
--------	--------	--------	-------

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—John Daniels

[57] CLAIM

The ornamental design for a combination putty knife and screwdriver, as shown.

DESCRIPTION

FIG. 1 is a side view of a combination putty knife and screw driver, showing my new design, wherein the opposite side view is identical;

FIG. 2 is an exploded view showing the knife with handle, reversible Philips and slotted screwdriver bit and transparent cap of the combination putty knife and screwdriver of FIG. 1;

FIG. 3 is a bottom plan view showing the screwdriver bit receiving portion of the combination putty knife and screwdriver of FIG. 1;

FIG. 4 is a top plan view of the cap of the combination putty knife and screwdriver of FIG. 1;

FIG. 5 is a front view of another embodiment of the combination putty knife and screwdriver of the present design, the rear plan view is the same as the front plan view;

FIG. 6 is a top plan view of the combination putty knife and screwdriver of FIG. 5;

FIG. 7 is a bottom plan view of the combination putty knife and screwdriver of FIG. 5;

FIG. 8 is a front view of another embodiment of the combination putty knife and screwdriver of the present design, the rear plan view is the same as the front plan view;

FIG. 9 is a top plan view of the combination putty knife and screwdriver of FIG. 8;

FIG. 10 is a bottom plan view of the combination putty knife and screwdriver of FIG. 8;

FIG. 11 is a front view of another embodiment of the combination putty knife and screwdriver of the present design the rear plan view is the same as the front plan view;

FIG. 12 is a top plan view of the combination putty knife and screwdriver of FIG. 11;


FIG. 13 is a bottom plan view of the combination putty knife and screwdriver of FIG. 11;

FIG. 14 is a front view of another embodiment of the combination putty knife and screwdriver of the present design, the rear plan view is the same as the front plan view;

FIG. 15 is a top plan view of the combination putty knife and screwdriver of FIG. 14; and,

FIG. 16 is a bottom plan view of the combination putty knife and screwdriver of FIG. 14.

1 Claim, 4 Drawing Sheets






Figure 1





Figure 3




Figure 4




Figure 6




Figure 9




Figure 5




Figure 8




Figure 7




Figure 10




Figure 12




Figure 15




Figure 11




Figure 14




Figure 13




Figure 16