



US00D380682S

United States Patent [19]
Robinson

[11] **Patent Number: Des. 380,682**
[45] **Date of Patent: **Jul. 8, 1997**

[54] **PLASTIC CONTAINER**
[75] **Inventor: Gerald R. Robinson, Perrysburg, Ohio**
[73] **Assignee: Owens-Brockway Plastic Products Inc., Toledo, Ohio**
[**] **Term: 14 Years**
[21] **Appl. No.: 44,788**
[22] **Filed: Sep. 29, 1995**
[51] **LOC (6) Cl. 09-01**
[52] **U.S. Cl. D9/528; D9/520**
[58] **Field of Search D9/528, 527, 523, D9/526, 531; 215/398, 384, 385; 220/768, 771**

D. 301,306 5/1989 Beaver .
D. 302,946 8/1989 Cramer D9/528
D. 302,947 8/1989 Segati .
D. 303,628 9/1989 Beaver .
D. 303,629 9/1989 Olson et al. D9/528
D. 304,423 11/1989 Beaver .
D. 304,998 12/1989 Pardo .
D. 308,333 6/1990 Aldrich .
D. 309,100 7/1990 Beaver .
D. 309,421 7/1990 Aldrich .
D. 312,571 12/1990 Winger .
D. 313,350 1/1991 Beaver .
D. 315,672 3/1991 Peykoff .
D. 319,974 9/1991 Offley .
D. 329,815 9/1992 Beaver .
D. 329,816 9/1992 Beaver .
D. 332,748 1/1993 Reece et al. D9/528
D. 333,097 2/1993 Levy .

(List continued on next page.)

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 189,892 3/1961 Pettengill .
D. 210,443 3/1968 Mason .
D. 218,676 9/1970 Beaver .
D. 223,601 5/1972 Johnson .
D. 232,419 8/1974 Luedtke .
D. 250,572 12/1978 Sneed et al. D9/528
D. 250,995 2/1979 Beaver .
D. 256,554 8/1980 Beaver .
D. 258,802 4/1981 Beaver .
D. 265,059 6/1982 White .
D. 265,797 8/1982 Platte .
D. 275,934 10/1984 Wassergord et al. D9/528
D. 282,050 1/1986 Beaver .
D. 282,052 1/1986 Beaver .
D. 282,443 2/1986 Beaver .
D. 282,631 2/1986 Beaver .
D. 282,632 2/1986 Beaver .
D. 282,633 2/1986 Beaver .
D. 282,634 2/1986 Beaver .
D. 282,635 2/1986 Beaver .
D. 282,636 2/1986 Beaver .
D. 282,637 2/1986 Beaver .
D. 282,638 2/1986 Beaver .
D. 282,639 2/1986 Beaver .
D. 282,640 2/1986 Beaver .
D. 282,641 2/1986 Beaver .
D. 292,885 11/1987 Best .
D. 293,080 12/1987 Crawford .

Primary Examiner—Lucy Lieberman


[57] **CLAIM**

The ornamental design for a plastic container, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a plastic container showing my new design;
FIG. 2 is an end elevational view taken from the right in FIG. 1;
FIG. 3 is a bottom plan view;
FIG. 4 is an end elevational view taken from the left in FIG. 1;
FIG. 5 is a top plan view;
FIG. 6 is a perspective view;
FIG. 7 is a fragmentary sectional view taken along the line 7—7 in FIG. 1;
FIG. 8 is a side elevational view of another embodiment of the design;
FIG. 9 is a bottom plan view;
FIG. 10 is an end view taken from the right in FIG. 8;
FIG. 11 is an end view taken from the left in FIG. 8;
FIG. 12 is a perspective view; and,
FIG. 13 is a top plan view.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---------|---------------------------|-----------|---------|---------------------------------|
| D. 340,645 | 10/1993 | Bridger . | 3,444,285 | 5/1969 | Mason . |
| D. 344,235 | 2/1994 | Bridger . | 3,547,294 | 12/1970 | Williams . |
| D. 346,331 | 4/1994 | Jaramillo . | 3,927,797 | 12/1975 | Flider . |
| D. 347,387 | 5/1994 | Bridger . | 4,412,633 | 11/1983 | Guerrazzi et al. 215/398 X |
| D. 352,905 | 11/1994 | Beaver D9/528 | 4,600,130 | 7/1986 | Libit . |
| D. 353,331 | 12/1994 | Larkin . | 5,087,406 | 2/1992 | Krall . |
| D. 353,541 | 12/1994 | Rogler et al. D9/528 | 5,111,979 | 5/1992 | Athar . |
| D. 353,542 | 12/1994 | Beaver . | 5,188,849 | 2/1993 | Krall . |
| D. 357,631 | 4/1995 | Beaver . | 5,232,107 | 8/1993 | Krall . |
| 3,434,635 | 3/1969 | Mason . | 5,358,148 | 10/1994 | Hanifl . |
| | | | 5,366,101 | 11/1994 | Krall . |

FIG. 3




FIG. 2




FIG. 1




FIG. 7




FIG. 5




FIG. 4




FIG. 6




FIG. 9




FIG. 10




FIG. 8




FIG. 13




FIG. 11




FIG. 12

