



US00D380688S

**United States Patent** [19]  
**Hsu**

[11] **Patent Number:** **Des. 380,688**  
[45] **Date of Patent:** **\*\*Jul. 8, 1997**

[54] **CLOCK**  
[76] **Inventor:** **Hsi-Pin Hsu**, No. 30, San Ning St.,  
Sanchung City, Taipei Hsien, Taiwan  
[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **52,606**  
[22] **Filed:** **Apr. 1, 1996**

[51] **LOC (6) Cl.** ..... **10-01**  
[52] **U.S. Cl.** ..... **D10/6**  
[58] **Field of Search** ..... D10/6-12; 368/10;  
D14/173

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

D. 149,785 6/1948 Ardner ..... D14/173  
D. 153,675 5/1949 Fuller ..... D14/173  
D. 178,219 7/1956 Blum ..... D10/6

D. 184,696 3/1959 Tara ..... D10/6 R  
D. 313,756 1/1991 Ng ..... D10/6  
D. 353,338 12/1994 Peersmann ..... D14/173

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Bacon & Thomas


[57] **CLAIM**


The ornamental design for a clock, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a clock showing my design;  
FIG. 2 is a front perspective view thereof;  
FIG. 3 is a rear perspective view thereof;  
FIG. 4 is a left side elevation view thereof; and  
FIG. 5 is a right side elevation view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 4 Drawing Sheets**





*FIG. 1*




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7