US00D380728S

United States Patent [19]

Richards et al.

[11] **Patent Number: Des. 380,728**

[45] **Date of Patent: **Jul. 8, 1997**

[54] **BATTERY HOUSING FOR A PORTABLE COMMUNICATION DEVICE**

[75] Inventors: **Scott H. Richards**, Plantation, Fla.; **Barbara Ruth**, Cummings, Ga.; **Wille Kottke**, Miami, Fla.; **Aaron Clark**, Buford, Ga.

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **52,720**

[22] Filed: **Apr. 9, 1996**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 35,407, Feb. 27, 1995, abandoned.

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** D13/103; 429/97, 429/98, 99, 121, 159, 163, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 305,717	1/1990	Soren et al.	D8/13
D. 328,733	8/1992	Seymour	D13/103
D. 331,566	12/1992	Seymour	D13/103
D. 339,322	9/1993	Seki et al.	D13/103
D. 349,882	8/1994	Johnson	D13/103
D. 350,110	8/1994	Johnson	D13/103
D. 353,361	12/1994	Nagele et al.	D13/103
D. 355,637	2/1995	Tracy et al.	D13/103
D. 357,896	5/1995	Berry	D13/103
D. 358,127	5/1995	Berry	D13/103
D. 358,128	5/1995	Berry et al.	D13/103
D. 359,267	6/1995	Berry et al.	D13/103

OTHER PUBLICATIONS

Rechargeable Battery, Electrical Appliances and Electronics, p. 133, Hong Kong Enterprise, Jun. 1991.
Rechargeable Battery, Electrical Appliances and Electronics, p. 569, Hong Kong Enterprise, Jun. 1994.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Barbara R. Doutre

[57] **CLAIM**

The ornamental design for a battery housing for a portable communication device, as shown and described.

DESCRIPTION

FIG. **1** is a front elevational view of a battery housing for a portable communication device in accordance with our new design;

FIG. **2** is a right side elevational view thereof;

FIG. **3** is a left side elevational view thereof;

FIG. **4** is a rear elevational view thereof;

FIG. **5** is a top plan view thereof;

FIG. **6** is a bottom plan view thereof;

FIG. **7** is a bottom, rear, and right side perspective view thereof;

FIG. **8** is a front elevational view of an alternative embodiment of the same inventive concept shown in FIGS. **1–7**;

FIG. **9** is a right side elevational view of said alternative embodiment shown in FIG. **8**;

FIG. **10** is a left side elevational view of said alternative embodiment shown in FIG. **8**;

FIG. **11** is a rear elevational view of said alternative embodiment shown in FIG. **8**;

FIG. **12** is a top plan view of said alternative embodiment shown in FIG. **8**;

FIG. **13** is a bottom plan view of said alternative embodiment shown in FIG. **8**; and,

FIG. **14** is a bottom, rear, and right side perspective view of said alternative embodiment shown in FIG. **8**.

1 Claim, 8 Drawing Sheets





FIG.2



FIG.1



FIG. 4



FIG. 3



FIG. 6



FIG. 5

FIG. 4



FIG. 9

FIG. 8



FIG. 11



FIG. 10

FIG. 13



FIG. 12



FIG.14