



US00D380733S

**United States Patent** [19]  
**Parshad**

[11] **Patent Number: Des. 380,733**  
[45] **Date of Patent: \*\*Jul. 8, 1997**

[54] **POWER BLOCK**

[75] Inventor: **David A. Parshad**, Markham, Canada

[73] Assignee: **Noma Inc.**, Scarborough, Canada

[\*\*] Term: **14 Years**

[21] Appl. No.: **41,133**

[22] Filed: **Jul. 7, 1995**

[51] **LOC (6) Cl.** ..... **13-03**

[52] **U.S. Cl.** ..... **D13/142**

[58] **Field of Search** ..... **D13/137, 140,**  
**D13/142, 160; 439/650, 651, 652, 653**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 279,285	6/1985	Schwartz	.....	D13/142
D. 284,852	7/1986	Maloney	.....	D13/142
D. 352,273	11/1994	Fladung	.....	D13/142
D. 354,731	1/1995	Lee	.....	D13/142
D. 364,379	11/1995	Pogue et al.	.....	D13/160

**OTHER PUBLICATIONS**

ACCO surge protectors in MicroMagnetics, Inc.

*Primary Examiner*—Joel Sincavage

*Attorney, Agent, or Firm*—Kenneth M. Gorrett

[57] **CLAIM**

The ornamental design for power block, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, left perspective view of a power block showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevation thereof;


FIG. 4 is a rear elevation thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevation thereof; the right side elevation being a mirror image of the left side; and,

FIG. 7 is similar to FIG. 4 but shows a second embodiment of the design; the appearance of the second embodiment is the same as the first except that two coaxial connectors replace the telephone jack openings of the first embodiment.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7