



US00D380815S

United States Patent [19]
Kanai

[11] **Patent Number:** **Des. 380,815**
[45] **Date of Patent:** ****Jul. 8, 1997**

[54] **TOILET**
[76] **Inventor:** **Sumiyo Kanai**, 935-12 Midori-cho,
Hachioji-shi, Tokyo, Japan
[**] **Term:** **14 Years**
[21] **Appl. No.:** **31,591**
[22] **Filed:** **Nov. 29, 1994**
[30] **Foreign Application Priority Data**
Jun. 8, 1994 [KR] Rep. of Korea 94-12368
[51] **LOC (6) Cl.** **23-02**
[52] **U.S. Cl.** **D23/302**
[58] **Field of Search** D23/295-300,
D23/307, 309, 310; 4/301, 306, 307, 310,
DIG. 12

D. 292,733 11/1987 Robinson et al. D23/295
D. 316,748 5/1991 Penn D23/302
D. 341,193 11/1993 Hort D23/302
3,251,070 5/1966 Blankenship D23/302 X

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Eric Watterson
Attorney, Agent, or Firm—Hazel & Thomas, P.C.

[57] **CLAIM**


The ornamental design for a toilet, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the toilet unit showing the novel design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a side elevational view thereof; and,
FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 4.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 233,899 12/1974 Juare D23/302

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7