



US00D380815S

**United States Patent** [19]  
**Kanai**

[11] **Patent Number:** **Des. 380,815**  
[45] **Date of Patent:** **\*\*Jul. 8, 1997**

[54] **TOILET**  
[76] **Inventor:** **Sumiyo Kanai**, 935-12 Midori-cho,  
Hachioji-shi, Tokyo, Japan  
[\*\*] **Term:** **14 Years**  
[21] **Appl. No.:** **31,591**  
[22] **Filed:** **Nov. 29, 1994**  
[30] **Foreign Application Priority Data**  
Jun. 8, 1994 [KR] Rep. of Korea ..... 94-12368  
[51] **LOC (6) Cl.** ..... **23-02**  
[52] **U.S. Cl.** ..... **D23/302**  
[58] **Field of Search** ..... D23/295-300,  
D23/307, 309, 310; 4/301, 306, 307, 310,  
DIG. 12

D. 292,733 11/1987 Robinson et al. .... D23/295  
D. 316,748 5/1991 Penn ..... D23/302  
D. 341,193 11/1993 Hort ..... D23/302  
3,251,070 5/1966 Blankenship ..... D23/302 X

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—Eric Watterson  
*Attorney, Agent, or Firm*—Hazel & Thomas, P.C.

[57] **CLAIM**


The ornamental design for a toilet, as shown and described.


**DESCRIPTION**

FIG. 1 is an isometric view of the toilet unit showing the novel design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view;  
FIG. 4 is a top view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a side elevational view thereof; and,  
FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 4.


[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 233,899 12/1974 Juare ..... D23/302

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**