



US00D380838S

# United States Patent [19] Hing

[11] Patent Number: Des. 380,838  
[45] Date of Patent: \*\*Jul. 8, 1997

[54] TRUNCATED ANTI-SEISMIC HOUSING DESIGN

[76] Inventor: Ally O. Hing, P.O. Box A, Superior, Ariz. 85273

[\*\*] Term: 14 Years

[21] Appl. No.: 53,442

[22] Filed: Apr. 22, 1996

[51] LOC (6) Cl. .... 25-03

[52] U.S. Cl. .... D25/23; D25/33; D25/1

[58] Field of Search ..... D25/1, 4, 7, 16, D25/17, 22, 23, 32, 33, 35; D30/108; 52/DIG. 10, 80.1, 81.1, 81.5; 135/87, 125, 126; 446/478

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 197,596	3/1964	Beigh	.....	D25/7	X
2,865,385	12/1958	Crafts	.....	D25/23	X
3,660,952	5/1972	Wilson	.....	D25/23	X
4,024,682	5/1977	Jamison	.....	D25/23	X
4,067,137	1/1978	Korthase	.....	446/478	

**OTHER PUBLICATIONS**

*Popular Mechanics*, Apr. 1968, p. 140, "A-Frame Home", upper side of page.

*Primary Examiner*—Doris Clark

*Assistant Examiner*—Monica A. Hannon

*Attorney, Agent, or Firm*—Warren F. B. Lindsley

[57] **CLAIM**

The ornamental design for a truncated anti-seismic housing design, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the top, front and left side of a truncated anti-seismic housing design and embodying the invention;

FIG. 2 is a front view of the truncated anti-seismic housing design shown in FIG. 1;

FIG. 3 is a back view of the truncated anti-seismic housing design shown in FIG. 1;


FIG. 4 is a left side view of the truncated anti-seismic housing design shown in FIG. 1;





FIG. 5 is a right side view of the truncated anti-seismic housing design shown in FIG. 1;


FIG. 6 is a top view of the truncated anti-seismic housing design shown in FIG. 1; and,

FIG. 7 is a bottom view of the truncated anti-seismic housing design shown in FIG. 1.


**1 Claim, 2 Drawing Sheets**








*FIG. 5*



*FIG. 6*



*FIG. 7*