



US00D381096S

United States Patent [19] Tallon

[11] Patent Number: **Des. 381,096**
[45] Date of Patent: ****Jul. 15, 1997**

[54] **PYLON**

[75] Inventor: **Roger Tallon, Paris, France**

[73] Assignee: **Electricite de France, Paris, France**

[**] Term: **14 Years**

[21] Appl. No.: **44,425**

[22] Filed: **Sep. 25, 1995**

[30] **Foreign Application Priority Data**

Mar. 23, 1995 [FR] France 951745

[51] **LOC (6) Cl. 25-01**

[52] **U.S. Cl. D25/127**

[58] **Field of Search D25/126-129;**
52/726.1, 726.4, 736.1, 736.2

| | | |
|-----------|---------|------------------|
| 29810 | 9/1967 | Canada . |
| 30193 | 1/1968 | Canada . |
| 67430 | 11/1990 | Canada . |
| 75027 | of 1994 | Canada . |
| 020 476 | 8/1991 | France . |
| 028 761 | 2/1994 | France . |
| 41050 | 10/1986 | Germany . |
| 9403894.5 | 5/1994 | Germany . |
| 35400 | 2/1983 | Italy . |
| 42479 | 9/1984 | Italy . |
| 49432 | 6/1986 | Italy . |
| 53327 | 3/1988 | Italy . |
| 21629 | 8/1989 | Italy . |
| 34061 | 8/1989 | Italy . |
| 053105 | 6/1990 | Italy . |
| 015138 | 7/1990 | Italy . |
| 053145 | 7/1990 | Italy . |
| 122.970 | 9/1990 | Italy . |
| 419890 | 11/1975 | Japan . |
| 485681 | 7/1978 | Japan . |
| 520379 | 9/1979 | Japan . |
| 520380 | 9/1979 | Japan . |
| 520381 | 9/1979 | Japan . |
| 521287 | 9/1979 | Japan . |
| 521288 | 9/1979 | Japan . |
| 520380-1 | 4/1980 | Japan . |
| 563756 | 7/1981 | Japan . |
| 603433 | 3/1983 | Japan . |
| 603434 | 3/1983 | Japan . |
| 603433-1 | 11/1983 | Japan . |
| 625696 | 2/1984 | Japan . |
| 708584 | 4/1987 | Japan . |
| 715975 | 7/1987 | Japan . |
| 793369 | 5/1990 | Japan . |
| 983411 | 2/1978 | United Kingdom . |
| 983418 | 2/1978 | United Kingdom . |

[56] **References Cited**
U.S. PATENT DOCUMENTS

| | | |
|------------|---------|--------------------------------|
| D. 197,648 | 3/1964 | Dreyfus . |
| D. 210,665 | 4/1968 | Rhude . |
| D. 211,089 | 5/1968 | Dreyfuss . |
| D. 211,995 | 8/1968 | Dake . |
| D. 219,343 | 12/1970 | Rinaldi . |
| D. 226,007 | 1/1973 | Donovan et al. . |
| D. 226,008 | 1/1973 | Donovan et al. . |
| 1,696,569 | 12/1928 | Hill . |
| 1,846,682 | 2/1932 | Hainel 52/726.4 |
| 3,162,719 | 12/1964 | Mulford . |
| 3,299,586 | 1/1967 | Hockaday . |
| 3,439,107 | 4/1969 | Scott . |
| 3,509,678 | 5/1970 | Dake . |
| 3,571,991 | 3/1971 | Dooley . |
| 3,935,689 | 2/1976 | Bladholm et al. . |
| 4,194,080 | 3/1980 | Meisberger . |
| 4,314,434 | 2/1982 | Meisberger . |
| 5,081,804 | 1/1992 | Andersson et al. 52/726.4 |

FOREIGN PATENT DOCUMENTS

| | | |
|----------|--------|------------------------|
| 03871 01 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 05 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 08 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 09 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 11 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 14 | 2/1978 | Benelux TM/Des. Off. . |
| 03871 12 | 2/1978 | Benelux TM/Des. Off. . |
| 37583 | 8/1890 | Canada . |

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Larson and Taylor


[57] **CLAIM**

The ornamental design for a pylon, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a pylon showing my new design, with the rear view being identical;
FIG. 2 is a right side elevational view thereof, the other side being identical;
FIG. 3 is a top plan view thereof; and,
FIG. 4 is a perspective view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4