



US00D381175S

# United States Patent [19] Stoll

[11] Patent Number: **Des. 381,175**  
[45] Date of Patent: **\*\*Jul. 15, 1997**

[54] **LAGGING TREAD FOR A PULLEY**

1637088 5/1989 Australia .  
0239660 10/1987 European Pat. Off. .  
WO8200326 7/1981 WIPO .

[75] Inventor: **Richard D. Stoll**, Huntington, W. Va.

[73] Assignee: **Richwood Industries, Inc.**, Huntington, W. Va.

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Robin V. Taylor  
*Attorney, Agent, or Firm*—Biebel & French

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **45,863**

The ornamental design for a lagging tread for a pulley, as shown and described.

[22] Filed: **Oct. 31, 1995**

[51] LOC (6) Cl. .... **12-05**

[52] U.S. Cl. .... **D34/29**

[58] Field of Search ..... D34/28, 29; D21/108; 474/190; D25/69; 198/835, 842, 843, 844.1

**DESCRIPTION**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 238,605	1/1976	Dyrup	.....	D34/29
D. 312,718	12/1990	McIlwain	.....	D34/29
3,064,769	11/1962	Billmeyer	.....	188/250
3,172,343	3/1965	Jacobs	.....	D25/69
4,290,761	9/1981	Suginaka	.....	474/190
4,538,463	9/1985	Puskar	.....	198/842
4,718,544	1/1988	Herren	.....	198/843
5,213,202	5/1993	Arnold	.....	198/835

FIG. 1 is a perspective view of a lagging tread for a pulley in accordance with my design;

FIG. 2 is a top plan view of the lagging tread for a pulley; FIG. 3 is a front view thereof looking generally along the line 3—3 of FIG. 2;

FIG. 4 is a back side view thereof looking generally along the line of 4—4 of FIG. 2;

FIG. 5 is an end view thereof looking generally along the line 5—5 of FIG. 2; and,


FIG. 6 is a bottom plan view thereof.

The broken lines in FIG. 1 represent the environment in which the lagging tread for a pulley is used and forms no part of the claimed design.

**FOREIGN PATENT DOCUMENTS**

4416485 7/1988 Australia .

**1 Claim, 3 Drawing Sheets**






FIG-1




FIG-3



FIG -4



FIG -5



FIG-6

