



US00D381283S

United States Patent [19]

Soreo

[11] Patent Number: Des. 381,283
[45] Date of Patent: **Jul. 22, 1997

[54] PASSIVE INFRARED MOTION SENSOR

[75] Inventor: Robert Soreo, Cleveland Heights, Ohio

[73] Assignee: The Lamson & Sessions Co.,
Cleveland, Ohio

[**] Term: 14 Years

[21] Appl. No.: 52,601

[22] Filed: Mar. 4, 1996

[51] LOC (6) Cl. 10-05

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106,
D10/116, 121; 340/541, 542, 543, 544,
545, 546, 547, 551, 571, 572, 573, 689

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|--------|----------------|-------|---------|
| D. 307,560 | 5/1990 | Andrews et al. | | D10/106 |
| D. 339,758 | 9/1993 | Warrington | | D10/106 |
| D. 346,567 | 5/1994 | Rimon | | D10/106 |
| D. 346,982 | 5/1994 | Greene et al. | | D10/106 |

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Jones, Day, Reavis & Pogue

[57] CLAIM

The ornamental design for a passive infrared motion sensor, as shown and described.

DESCRIPTION

FIG. 1 is a three-dimensional view of the passive infrared motion sensor;

1 Claim, 5 Drawing Sheets




FIG. 2 is a top plan view of the first embodiment of the passive infrared motion sensor;

FIG. 3 is a bottom plan view of the first embodiment of the passive infrared motion sensor;

FIG. 4 is a front elevation view of the first embodiment of the passive infrared motion sensor;

FIG. 5 is a rear elevation view of the first embodiment of the passive infrared motion sensor;

FIG. 6 is a left side elevation view of the first embodiment of the passive infrared motion sensor;

FIG. 7 is a right side elevation view of the first embodiment of the passive infrared motion sensor;

FIG. 8 is a top plan view of the second embodiment of the passive infrared motion sensor, wherein the front portion is a mirror image of the first embodiment;

FIG. 9 is a bottom plan view of the second embodiment of the passive infrared motion sensor;

FIG. 10 is a rear elevation view of the second embodiment of the passive infrared motion sensor;

FIG. 11 is a left elevation view of the second embodiment of the passive infrared motion sensor; and,

FIG. 12 is a right elevation view of the second embodiment of the passive infrared motion sensor.




Fig.1




Fig.2

Fig.3




Fig.5




Fig.4




Fig.7




Fig.6




Fig.8

Fig.9




Fig.10




Fig.12




Fig.11