



US00D381449S

**United States Patent** [19]  
**Metchear, III**

[11] **Patent Number: Des. 381,449**  
[45] **Date of Patent: \*\*Jul. 22, 1997**

[54] **POST LIGHTING FIXTURE**

[76] **Inventor: Charles R. Metchear, III, 2701 Gulf Shore Rd. N., Naples, Fla. 33940**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 44,710**

[22] **Filed: Sep. 29, 1995**

[51] **LOC (6) Cl. .... 26-03**

[52] **U.S. Cl. .... D26/68**

[58] **Field of Search ..... D26/93, 102-112; 362/410-414, 147, 153, 153.1, 431**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 209,416 11/1967 Smith ..... D26/68  
D. 236,653 9/1975 Stewart ..... D26/68 X

**OTHER PUBLICATIONS**

Corbett Exterior Lighting Catalog, ©1994, p. E7, Exterior Light # 3457.  
Corbett Exterior Lighting Catalog ©1994, p. E15, Exterior Light Base # PBM-66.  
Lighting Design & Application, Aug. 19, 1982, inside front cover, McLighting Bollard.  
ISI Lighting Systems Seabrook Exterior Lighting Catalog, front cover pointed top Exterior Fixtures.

*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Lahive & Cockfield, LLP


[57] **CLAIM**


The ornamental design for a post lighting fixture, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, left side perspective view of a post lighting fixture showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof, the left elevational view and the right elevational view being identical to the rear elevational view;  
FIG. 6 is a fragmentary front elevational view of a second embodiment of my new design, the rear and sides being identical;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a fragmentary front elevation view of a third embodiment of my new design, the rear and sides being identical;  
FIG. 9 is a top plan view thereof;  
FIG. 10 is a fragmentary front elevation view of a fourth embodiment of my new design, the rear and sides being identical; and,  
FIG. 11 is a top plan view thereof.  
The second, third, and fourth embodiments are fragmentarily shown for convenience of illustration, it being understood that these embodiments differ from the first only in the configuration of the top cap.

**1 Claim, 3 Drawing Sheets**







***FIG. 1***




***FIG. 2***




***FIG. 3***




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*



*FIG. 9*



*FIG. 10*



*FIG. 11*