



US00D381629S

**United States Patent** [19]  
**Goto**

[11] **Patent Number:** **Des. 381,629**  
[45] **Date of Patent:** **\*\*Jul. 29, 1997**

[54] **CABLE CONNECTOR ASSEMBLY**  
[75] **Inventor:** **Teiyu Goto, Tokyo, Japan**  
[73] **Assignee:** **Sony Corporation, Tokyo, Japan**  
[\*\*] **Term:** **14 Years**  
[21] **Appl. No.:** **45,896**  
[22] **Filed:** **Nov. 1, 1995**  
[30] **Foreign Application Priority Data**  
May 9, 1995 [JP] Japan ..... 7-12724  
[51] **LOC (6) Cl.** ..... **13-03**  
[52] **U.S. Cl.** ..... **D13/147**  
[58] **Field of Search** ..... **D13/146, 147;**  
439/502, 607, 620; 333/185

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 314,186 1/1991 Fujioka ..... D13/199  
D. 363,700 10/1995 Buongervino et al. .... D13/147  
4,508,414 4/1985 Kusui et al. .... 339/143 R


**OTHER PUBLICATIONS**  
Molex Duplex fiber optic connector on p. 9H of Molex catalog No. 980. Mar. 1991.  
*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Foley & Lardner

[57] **CLAIM**  
The ornamental design for a cable connector assembly, as shown and described.

**DESCRIPTION**  
FIG. 1 is a perspective view of a first embodiment of the cable connector assembly including my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a rear elevational view thereof;

FIG. 8 is a front perspective view of a second embodiment of the cable connector assembly including my new design;  
FIG. 9 is a rear perspective view of a second embodiment of FIG. 8;  
FIG. 10 is a top plan view of the embodiment of FIG. 8;  
FIG. 11 is a left side elevational view of the embodiment of FIG. 8;  
FIG. 12 is a front elevational view of the embodiment of FIG. 8;  
FIG. 13 is a bottom plan view of the embodiment of FIG. 8;  
FIG. 14 is a rear elevational view of the embodiment of FIG. 8;  
FIG. 15 is a right side elevational view of the embodiment of FIG. 8;  
FIG. 16 is a front perspective view of a third embodiment of the cable connector assembly including my new design;  
FIG. 17 is a rear perspective view of the embodiment of FIG. 16;  
FIG. 18 is a top plan view of the embodiment of FIG. 16;  
FIG. 19 is a left side elevational view of the embodiment of FIG. 16;  
FIG. 20 is a front elevational view of the embodiment of FIG. 16;  
FIG. 21 is a bottom plan view of the embodiment of FIG. 16;  
FIG. 22 is a rear elevational view of the embodiment of FIG. 16; and,  
FIG. 23 is a right side elevational view of the embodiment of FIG. 16.  
The cord is shown broken away in FIGS. 1, 2, 4, 5 and 7 to indicate indeterminate length.

**1 Claim, 5 Drawing Sheets**






FIG. 2




FIG. 4




FIG. 3



FIG. 5




FIG. 6

FIG. 7



FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 14



FIG. 15



FIG. 13






FIG. 18




FIG. 16




FIG. 17



FIG. 19



FIG. 20




FIG. 22



FIG. 23



FIG. 21