



US00D381647S

**United States Patent** [19]  
**Terng**

[11] **Patent Number: Des. 381,647**

[45] **Date of Patent: \*\*Jul. 29, 1997**

[54] **4D TRANSMITTER**

D. 349,500 8/1994 Koulopoulos ..... D14/217  
D. 366,261 1/1996 Splane, Jr. et al. .... D14/217  
D. 370,481 6/1996 Brooks ..... D14/124

[75] **Inventor: Jay Terng, Taipei, Taiwan**

[73] **Assignee: Silitek Corporation, Taipei, Taiwan**

*Primary Examiner*—Prabhakar G. Deshmukh  
*Attorney, Agent, or Firm*—Beveridge, DeGrandi, Weilacher  
& Young, L.L.P.

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 53,561**

[57] **CLAIM**

[22] **Filed: Apr. 24, 1996**

The ornamental design for 4D transmitter, as shown and described.

[51] **LOC (6) Cl. .... 21-01**

**DESCRIPTION**

[52] **U.S. Cl. .... D14/124; D14/217; D14/100**

[58] **Field of Search** ..... D14/124, 125,  
D14/217, 158, 160, 299; 181/153, 198,  
284; 381/73.1; 446/397, 404, 416; 358/311,  
452, 453; 345/7, 8, 9, 185, 204

FIG. 1 is the perspective view of a "4D transmitter" showing my new design;

FIG. 2 is the front elevational view thereof;

FIG. 3 is the rear elevational view thereof;

FIG. 4 is the left side elevational view thereof;

FIG. 5 is the right side elevational view thereof;

FIG. 6 is the top plan view thereof; and,


FIG. 7 is the bottom plan view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 264,969 6/1982 McGourty ..... D14/124  
D. 328,073 7/1992 Yamakawa ..... D14/217 X  
D. 342,739 12/1993 Atkins et al. .... D14/217

**1 Claim, 7 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7