



US00D381651S

United States Patent [19]

Banik et al.

[11] Patent Number: Des. 381,651

[45] Date of Patent: **Jul. 29, 1997

[54] COMBINED VIDEO MONITOR AND CAMERA STATION

[75] Inventors: **Gary J. Banik**, Portland, Oreg.;
Timothy C. E. Brown, San Francisco, Calif.;
Peggy R. Devitt, Colonia, N.J.;
Leon Samuel Gold, Hoboken, N.J.;
Pratod V. Kasbekar, Manalapan, N.J.;
Jacob Sheinblat, Martinsville, N.J.;
James Robert Toleman, San Francisco, Calif.

[73] Assignee: **Lucent Technologies Inc.**, Murray Hill, N.J.

[**] Term: **14 Years**

[21] Appl. No.: **39,174**

[22] Filed: **May 22, 1995**

[51] LOC (6) Cl. **14-03**

[52] U.S. Cl. **D14/129; D14/113; D16/202**

[58] Field of Search **D14/113, 124-134; D16/202; 312/7.2; 348/825, 836, 838, 790-794, 12-20; 379/53**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 356,097 3/1995 Sakata et al. D16/202

OTHER PUBLICATIONS

Kyocera, System 6000 Series KV-6400, Feb. 1994.
PictureTel Live PCS 50, Mar. 10, 1995.

Primary Examiner—B. J. Bullock
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Samuel R. Williamson

[57] CLAIM

The ornamental design for a combined video monitor and camera station, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a combined video monitor and camera station showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof, the left side elevation view being a mirror image;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a top plan view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

