



US00D381768S

United States Patent [19] Shurtleff

[11] Patent Number: **Des. 381,768**

[45] Date of Patent: ****Jul. 29, 1997**

[54] **HANDLE FOR A SAFETY RAZOR**

[75] Inventor: **Jill M. Shurtleff**, South Boston, Mass.

[73] Assignee: **The Gillette Company**, Boston, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **29,670**

[22] Filed: **Oct. 13, 1994**

[51] LOC (6) Cl. **28-03**

[52] U.S. Cl. **D28/48; D28/48**

[58] Field of Search **D28/44-48; 30/32, 30/34.05, 47-51, 85**

5,050,301	9/1991	Apprille, Jr.	30/87
5,113,586	5/1992	Lazarchik	30/90
5,157,835	10/1992	Lazarchik et al.	30/85

OTHER PUBLICATIONS

Canadian Industrial Design Registration No. 71.351 Aug. 25, 1992.

Vogue Sep. 1992, p. 447: Gillette® Sensor® for women.

Primary Examiner—Catherine Tuttle

Attorney, Agent, or Firm—Charles P. Boukus, Jr.; Edward S. Podszus; Aubrey C. Brine

[57] CLAIM

The ornamental design for a handle for a safety razor, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a safety razor handle showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view thereof, the right side being a mirror image of the left side;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof; and,


FIG. 8 is a left side elevational view similar to FIG. 4 having portions thereof removed to the longitudinal centerline to show top and bottom surface details.

1 Claim, 5 Drawing Sheets

[56] References Cited

U.S. PATENT DOCUMENTS

D. 253,726	12/1979	Schuman et al.	D28/46
D. 253,727	12/1979	Kowal	D28/46
D. 304,773	11/1989	Beuchat	D28/46
D. 325,689	4/1992	Gray	D28/48
D. 346,880	5/1994	Meisner et al.	D28/48
D. 351,925	10/1994	Meisner et al.	D28/48
D. 352,568	11/1994	Meisner et al.	D28/48
D. 354,586	1/1995	Grange	D28/46
D. 355,049	1/1995	Yasui	D28/48
D. 363,142	10/1995	Shurtleff	D28/48
4,167,059	9/1979	Iten	30/32
4,198,746	4/1980	Trotta	30/47
4,272,886	6/1981	Asano	30/47
5,031,319	7/1991	Althaus et al.	30/85






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8