



US00D381967S

**United States Patent** [19]  
**Tatsumi**

[11] **Patent Number:** **Des. 381,967**  
[45] **Date of Patent:** **\*\*Aug. 5, 1997**

[54] **STAND FOR A CHARGE-COUPLED DEVICE**

[75] **Inventor:** **Yoshikazu Tatsumi, Roselle, Ill.**

[73] **Assignee:** **Panasonic Technologies Inc.,  
Princeton, N.J.**

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **38,524**

[22] **Filed:** **May 8, 1995**

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/114; D8/373**

[58] **Field of Search** ..... **D14/100, 114,  
D14/116; D8/373, 380; 211/13; 248/441.1,  
442.2, 917-924**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 270,120 8/1983 McPherson, Sr. .... D8/373 X
- D. 350,127 8/1994 Gummeson et al. .... D14/116

- D. 367,220 2/1996 Bush ..... D8/373
- 4,112,550 9/1978 DeWitt et al. .... D8/373 X

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—McDermott, Will & Emery



[57] **CLAIM**

The ornamental design for a stand for a charge-coupled device, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view showing my design of a stand for a charge-coupled device;  
FIG. 2 is another perspective view thereof;  
FIG. 3 is a front elevation view thereof;  
FIG. 4 is a back elevation view thereof;  
FIG. 5 is a top view thereof;  
FIG. 6 is a bottom view thereof;  
FIG. 7 is an end view thereof; and,  
FIG. 8 is another end view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8