



US00D381975S

United States Patent [19]

Trausch et al.

[11] Patent Number: Des. 381,975

[45] Date of Patent: **Aug. 5, 1997

[54] COMBINED REPOSITIONING HANDHELD SCANNER BOARD AND SCANNER

[76] Inventors: Jerry Trausch; Marilyn Trausch, both of 23399 Cedar Rd., Lyndhurst, Ohio 44122

[**] Term: 14 Years

[21] Appl. No.: 34,826

[22] Filed: Feb. 13, 1995

[51] LOC (6) Cl. 14-02

[52] U.S. Cl. D14/116; D14/114

[58] Field of Search D14/100, 105, D14/107; D18/36, 37, 39; 250/556, 563; 382/59, 2-4, 62-65; 235/454, 462, 470, 380, 382, 382.5, 476, 482, 483, 441; 348/373-376, 87, 126; 358/408, 472, 474, 497; 439/43

[56] References Cited

U.S. PATENT DOCUMENTS

5,311,304 5/1994 Monno 348/87

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Joseph H. Taddeo

[57] CLAIM

The ornamental design for a combined repositioning handheld scanner board and scanner, as shown and described.

DESCRIPTION

FIG. 1 is a top front end perspective view of a combined repositioning handheld scanner board and scanner showing our new design wherein the scanner board is shown separately for clarity of illustration only and the undisclosed edges are understood to be identical to that shown;



FIG. 2 is a top front end perspective view thereof with a scanner positioned on the scanner board, the undisclosed scanner top end being substantially identical to the bottom as shown;

FIG. 3 is a side elevational view thereof the opposite side being substantially identical in appearance;

FIG. 4 is a bottom plan view thereof; and,

FIG. 5 is a top front end perspective view thereof wherein bar code labels are shown positioned on the board.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5